



**SECURITY TARGET LITE
ID.ME 1.28 ON IDEALCITIZ™ MOSID V2.1.1**

Reference: 2016_2000022481

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **2/121**

Date	Version	Revision
08/11/2016	1.0	Public Security Target

Table of contents

1	TOE OVERVIEW	7
1.1	ST IDENTIFICATION	8
1.2	TOE REFERENCE.....	8
1.3	TOE DOCUMENTATION	8
2	TECHNICAL TERMS, ABBREVIATION AND ASSOCIATED REFERENCES.....	9
2.1	TECHNICAL TERMS	9
2.2	ABBREVIATION.....	13
2.3	ASSOCIATED REFERENCES	14
3	CONFORMANCE CLAIMS	17
3.1	CC CONFORMANCE	17
3.2	PP CLAIMS	17
3.3	CONFORMANCE RATIONALE	18
4	STATEMENT OF COMPATIBILITY.....	25
4.1	COMPATIBILITY BETWEEN SFRS	25
4.2	COMPATIBILITY BETWEEN OTs	31
4.3	COMPATIBILITY BETWEEN OES	32
4.4	COMPATIBILITY BETWEEN AS.....	33
4.5	COMPATIBILITY BETWEEN OSPs.....	34
4.6	COMPATIBILITY BETWEEN TS.....	35
4.7	SEPARATION AND COMPATIBILITY OF SFS	36
4.8	COMPATIBILITY OF ASSURANCE REQUIREMENTS	38
5	TOE DESCRIPTION	39
5.1	PRODUCT PRESENTATION	39
5.2	OVERVIEW OF ID.ME PACKAGE	39
5.3	TOE FUNCTIONS.....	40
5.4	OPERATION OF THE TOE.....	41
5.5	OPEN AND ISOLATING PLATFORM.....	44
5.6	MAJOR SECURITY FEATURES OF THE TOE	45
5.6.1	<i>Authentication mechanisms</i>	<i>45</i>
5.6.2	<i>Cryptographic</i>	<i>45</i>
5.6.3	<i>Trusted Channels.....</i>	<i>45</i>
5.6.4	<i>Access Control</i>	<i>45</i>
5.6.5	<i>Data Storage</i>	<i>45</i>
5.6.6	<i>Integrity.....</i>	<i>45</i>
5.6.7	<i>Features from the Platform.....</i>	<i>45</i>
5.7	TOE LIFE CYCLE.....	46
5.7.1	<i>General</i>	<i>46</i>
5.7.2	<i>Development phase (Phases 1 & 2 of the IC life cycle [PP-IC])</i>	<i>47</i>
5.7.3	<i>Production phase (Phases 3, 4 & 5 of the Platform life cycle).....</i>	<i>48</i>
5.7.4	<i>Preparation phase (Phases 6 of the Platform life cycle).....</i>	<i>48</i>
5.7.5	<i>Operational phase (Phase 7 of the Platform life cycle).....</i>	<i>49</i>
6	SECURITY PROBLEM DEFINITION	50
6.1	ASSETS.....	50
6.2	USERS / SUBJECTS.....	50
6.2.1	<i>Threat agents</i>	<i>50</i>
6.2.2	<i>Miscellaneous</i>	<i>50</i>

Security target LITE ID.me 1.28 on IdealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 4/121
--	---

- 6.3 THREATS.....51
- 6.4 ORGANISATIONAL SECURITY POLICIES52
- 6.5 ASSUMPTIONS53
- 7 SECURITY OBJECTIVES 54**
- 7.1 SECURITY OBJECTIVES FOR THE TOE54
 - 7.1.1 OTs common to PP SSCD-KG and PP SSCD-KI54
 - 7.1.2 Specific OTs from PP SSCD-KG.....55
 - 7.1.3 Specific OTs from PP SSCD-KI.....55
 - 7.1.4 Additional OTs - Trusted Communication with CGA56
 - 7.1.5 Additional OTs - Trusted Communication with SCA.....56
- 7.2 SECURITY OBJECTIVES FOR THE OPERATIONAL ENVIRONMENT57
 - 7.2.1 OEs common to PP SSCD-KG and PP SSCD-KI57
 - 7.2.2 Specific OEs from PP SSCD-KI.....58
 - 7.2.3 Additional OEs - Trusted Communication with CGA.....58
 - 7.2.4 Additional OEs - Trusted Communication with SCA.....59
- 7.3 SECURITY OBJECTIVES RATIONALE59
 - 7.3.1 Threats59
 - 7.3.2 Organisational Security Policies61
 - 7.3.3 Assumptions63
 - 7.3.4 SPD and Security Objectives64
- 8 EXTENDED REQUIREMENTS 69**
- 8.1 EXTENDED FAMILIES69
 - 8.1.1 Extended Family FPT_EMS - TOE Emanation.....69
 - 8.1.2 Extended Family FIA_API - Authentication Proof of Identity.....70
 - 8.1.3 Extended Family FCS_RND - Quality Metric for Random Numbers71
- 9 SECURITY REQUIREMENTS 72**
- 9.1 SECURITY FUNCTIONAL REQUIREMENTS72
 - 9.1.1 Cryptographic support (FCS).....72
 - 9.1.2 User data protection (FDP)76
 - 9.1.3 Identification and authentication (FIA)81
 - 9.1.4 Security management (FMT).....83
 - 9.1.5 Protection of the TSF (FPT)85
 - 9.1.6 Trusted Path/Channel (FTP).....87
- 9.2 SECURITY ASSURANCE REQUIREMENTS.....88
- 9.3 SECURITY REQUIREMENTS RATIONALE89
 - 9.3.1 Objectives89
 - 9.3.2 Rationale tables of Security Objectives and SFRs.....92
 - 9.3.3 Dependencies96
 - 9.3.4 Rationale for the Security Assurance Requirements101
 - 9.3.5 AVA_VAN.5 Advanced methodical vulnerability analysis101
 - 9.3.6 ALC_DVS.2 Sufficiency of security measures101
- 10 TOE SUMMARY SPECIFICATION..... 102**
- 10.1 TOE SUMMARY SPECIFICATION..... 102
 - 10.1.1 Chip security functionalities102
 - 10.1.2 Platform security functionalities.....103
 - 10.1.3 Application manager security functions.....105
 - 10.1.4 Application security functionalities.....105
- 10.2 SFRs AND TSS.....110
 - 10.2.1 SFRs and TSS - Rationale110
 - 10.2.2 Association tables of SFRs and TSS115

<p>Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1</p>	<p>Ref.: 2016_2000022481 Page: 5/121</p>
---	---

Table of figures

Figure 1: TOE documentation..... 8

Figure 2: TOE physical scope40

Figure 3: Scope of the SSCD44

Figure 4: TOE Life Cycle (SCD Generation by TOE)46

Figure 5: TOE Life Cycle (SCD import by TOE).....47

<p>Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1</p>	<p>Ref.: 2016_2000022481 Page: 6/121</p>
---	---

Table of tables

Table 1 PP SPDs vs. ST	20
Table 2 PP Security Objectives vs. ST	22
Table 3 PP SFRs vs. ST.....	24
Table 4 Threats and Security Objectives - Coverage.....	64
Table 5 Security Objectives and Threats - Coverage.....	65
Table 6 OSPs and Security Objectives - Coverage.....	66
Table 7 Security Objectives and OSPs - Coverage.....	67
Table 8 Assumptions and Security Objectives for the Operational Environment - Coverage	68
Table 9 Security Objectives for the Operational Environment and Assumptions - Coverage	68
Table 10 Security Objectives and SFRs - Coverage	93
Table 11 SFRs and Security Objectives	95
Table 12 SFRs Dependencies.....	99
Table 13 SARs Dependencies	100
Table 14 SFRs and TSS - Coverage	117
Table 15 TSS and SFRs - Coverage	119

1 TOE Overview

This document is the Security Target Lite for the ID.me Applet on IDealCitiz™ Platform which is a SAFRAN I&S specific Java Card implementation of the Identification Authentication Signature for European Citizen Card v1.0.1 [IAS ECC].

ID.me is designed to be compliant with the IAS ECC v1.0.1 specification [IAS ECC], taking into account the addendum [IAS ADD].

The TOE addressed by the current ST is a SSCD device with PACE Authentication that may:

- 1) generate signing keys internally [PP-SSCD2],
- 2) import signing keys [PP-SSCD3]
- 3) export the public key in protected manner: SSCD with key generation and trusted communication with CGA [PP-SSCD4]
- 4) communicate with the SCA in protected manner: SSCD with key generation and key import, and trusted communication with SCA [PP-SSCD5] and [PPSSCD6].

The ID.me applet is a set of Java card services intended to be used exclusively on the IDealCitiz™ v2.1.1 Java card Platform, which is certified according to CC EAL 5+ [ST-PL]. The IDealCitiz™ v2.1.1 Java card Platform is based on the Infineon M7892/93 B11 IC security controller, which is itself certified according to CC EAL 5+ [ST-IC].

This ST has been conceived to prepare a Common Criteria evaluation following the “compositional approach” described in [COMP]. This approach consists in starting from a Platform that has been independently certified, and performing an evaluation of the product resulting from embedding an Application into it, which makes use of some of the results issued from the evaluation of the IDealCitiz™ Java card Platform.

This document provides a list of security requirements for the ID.me Applet embedded in a Java Card platform.

This Security Target describes:

- The Target of Evaluation (TOE)
- The assets to be protected, the threats (T) to be countered by the TOE itself during the usage of the TOE,
- The organizational security policies (OSP), and the assumptions (A),
- The security objectives (OT) for the TOE and its environment (OE),
- The security functional requirements (SFR) for the TOE and its IT environment,
- The TOE security assurance requirements (SAR),
- The TOE Summary specification (TSS).

The assurance level for the TOE is CC EAL5+.

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 8/121
--	---

1.1 ST Identification

Title	Security target Lite ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1
Reference	2016_2000022481
Version	1.0
Certification Body	ANSSI
Author	SAFRAN IDENTITY & SECURITY
CC Version	3.1 Revision 4
Assurance Level	EAL5 augmented with ALC_DVS.2 and AVA_VAN.5
Protection Profiles	PP SSCD-Part 2 Key Generation [PP-SSCD2], PP SSCD-Part 3 Key Import [PP-SSCD3], PP SSCD-Part 4 Key Generation and Trusted Channel with CGA [PP-SSCD4] PP SSCD-Part 5 Key Generation and Trusted Channel with SGA [PP-SSCD5] PP SSCD-Part 6 Key Import and Trusted Channel with SGA [PP-SSCD6]

1.2 TOE Reference

TOE name	ID.me 1.28 applet on IDEalCitiz™ MOSID v2.1.1
TOE version number	1.28
Name of Platform	IDEalCitiz™ v2.1.1 open platform
IC Identifiers	Infineon M7892 B11 with optional RSA2048/4096 v1.02.013, EC v1.02.013, SHA-2 v1.01 and Toolbox v1.02.013 libraries and with specific IC dedicated software (firmware). Certified by BSI on 3 November 2015 under the reference BSI-DSZ-CC-0782-V2-2015. Infineon M7893 B11 with optional RSA2048/4096 v1.03.006, EC v1.03.006, SHA-2 v1.01 libraries and Toolbox v1.03.006 and with specific IC dedicated software (firmware). Certified by BSI on 13 November 2015 under the reference BSI-DSZ-CC-0879-V2-2015.

1.3 TOE documentation

TOE documentation is described in the table below:

Reference	Description
[AGD_PRE]	2014_2000002907 – ID.me – AGD_PRE
[AGD_OPE]	2014_2000002909 – ID.me – AGD_OPE
[AGD_USR]	2014_2000000211 - ID.me - Applet User Manual
[AGD_ADM]	2014_0000001563 - ID.me - Application Personalization Specification

Figure 1: TOE documentation

2 Technical terms, Abbreviation and Associated references

2.1 Technical terms

Term	Definition
Application note	<i>Optional informative part of the ST containing sensitive supporting information that is considered relevant or useful for the construction, evaluation or use of the TOE.</i>
Administrator	<i>user who performs TOE initialization, TOE personalization, or other TOE administrative functions</i>
Advanced electronic signature	<i>An electronic signature which meets the following requirements [DIRECTIVE]:</i> <i>(i) it is uniquely linked to the signatory,</i> <i>(ii) it is capable of identifying the signatory,</i> <i>(iii) it is created using means that the signatory can maintain under his sole control,</i> <i>(iv) it is linked to the data to which it relates in such a manner that any subsequent change of the data is detectable.</i>
Authentication data	<i>information used to verify the claimed identity of a user</i>
Authentication	<i>Authentication defines a procedure that verifies the identity of the communication partner. The most elegant method is based on the use of so called digital signatures.</i>
Card Access Number (CAN)	<i>A short password that is printed or displayed on the document. The CAN is a non-blocking password. The CAN may be static (printed on the Identification Card), semi-static (e.g. printed on a label on the Identification Card) or dynamic (randomly chosen by the Card and displayed by it using e.g. ePaper, OLED or similar technologies), see [D03110], sec. 3.3</i>
Certificate	<i>digital signature used as electronic attestation binding signature-verification data to a person confirming the identity of that person as legitimate signer</i>
Certificate info	<i>information associated with an SCD/SVD pair that may be stored in a secure signature creation device</i> <i>NOTE 1: Certificate info is either</i> <ul style="list-style-type: none">- <i>a signer's public key certificate or,</i>- <i>one or more hash values of a signer's public key certificate together with an identifier of the hash function used to compute the hash values.</i> <i>NOTE 2: Certificate info may contain information to allow the user to distinguish between several certificates.</i>

Security target LITE ID.me 1.28 on IdealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 10/121
--	--

Term	Definition
Certificate-generation application (CGA)	<i>collection of application components that receive the SVD from the SSCD to generate a certificate obtaining data to be included in the certificate and to create a digital signature of the certificate</i>
Certificate revocation list	<i>A list of revoked certificates issued by a certificate authority</i>
Certification service provider (CSP)	<i>entity that issues certificates or provides other services related to electronic signatures</i>
Data to be signed (DTBS)	<i>all of the electronic data to be signed including a user message and signature attributes</i>
Data to be signed or its unique representation (DTBS/R)	<i>data received by a secure signature creation device as input in a single signature creation operation</i> <i>NOTE: Examples of DTBS/R are</i> <ul style="list-style-type: none"> - <i>a hash value of the data to be signed (DTBS), or</i> - <i>an intermediate hash value of a first part of the DTBS complemented with a remaining part of the DTBS, or</i> - <i>the DTBS.</i>
ECC	<i>(Elliptic Curve Cryptography) class of procedures providing an attractive alternative for the probably most popular asymmetric procedure, the RSA algorithm.</i>
Hash function	<i>A function which forms the fixed-size result (the hash value) from an arbitrary amount of data (which is the input). These functions are used to generate the electronic equivalent of a fingerprint. The significant factor is that it must be impossible to generate two entries which lead to the same hash value (so called collisions) or even to generate a matching message for a defined hash value.</i>
Integrity	<i>The test on the integrity of data is carried out by checking messages for changes during the transmission by the receiver. Common test procedures employ Hash functions, MACs (Message Authentication Codes) or – with additional functionality – digital signatures.</i>
Javacard	<i>A smart card with a Javacard operation system.</i>
Legitimate user	<i>An user of a secure signature creation device who gains possession of it from an SSCD provisioning service provider and who may be authenticated by the SSCD as its signatory.</i>
MAC	<i>Message Authentication Code. Algorithm that expands the message by means of a secret key by special redundant pieces of information, which are stored or transmitted together with the message. To prevent an attacker from targeted modification of the attached redundancy requires its protection in a suitable way.</i>
Notified body	<i>An organizational entity designated by a member state of the European Union as responsible for accreditation and supervision of the evaluation process for products conforming to [PP-SSCD2], [PP-SSCD5] and for determining admissible algorithms and algorithm parameters.</i>

Security target LITE ID.me 1.28 on IdealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 11/121
--	--

Term	Definition
Non repudiation	<i>One of the objectives in the employment of digital signatures. It describes the fact that the sender of a message is prevented from denying the preparation of the message. The problem cannot be simply solved with cryptographic routines, but the entire environment needs to be considered and respective framework conditions need to be provided by pertinent laws.</i>
PACE Terminal (PCT)	<i>A technical system verifying correspondence between the stored password and the related value presented to the terminal. PCT implements the terminal's part of the PACE protocol and authenticates itself to the Card using a shared password (CAN, PIN or PUK). The PCT is not allowed reading User Data (see sec. 4.2.2 in [D03110]). See [D03110], chap. 3.3, 4.2, table 1.2 and G.2.</i>
Password Authenticated Connection Establishment (PACE)	<i>A communication establishment protocol defined in [D03110], sec. 4.2. The PACE Protocol is a password authenticated DiffieHellman key agreement protocol providing implicit password based authentication of the communication partners (e.g. smart card and the terminal connected): i.e. PACE provides a verification, whether the communication partners share the same value of a password n). Based on this authentication, PACE also provides a secure communication, whereby confidentiality and authenticity of data transferred within this communication channel are maintained.</i>
Private key	<i>Secret key only known to the receiver of a message, which is used in asymmetric ciphers for encryption or generation of digital signatures.</i>
Pseudo random number	<i>Many cryptographic mechanisms require random numbers (e.g. in key generation). The problem, however, is that it is difficult to implement true random numbers in software. Therefore, so called pseudo random number generators are used, which then should be initialized with a real random element (the so called seed).</i>
Public Key	<i>Publicly known key in an asymmetric cipher which is used for encryption and verification of digital signatures.</i>
Public key infrastructure (PKI)	<i>Combination of hardware and software components, policies, and different procedures used to manage digital certificates.</i>
Qualified certificate	<i>public key certificate that meets the requirements laid down in Annex I and that is provided by a CSP that fulfils the requirements laid down in Annex II (the directive: 2.10) [DIRECTIVE]</i>
Qualified electronic signature	<i>advanced electronic signature that has been created with an SSCD with a key certified with a qualified certificate ([DIRECTIVE]: 5.1).</i>
Random numbers	<i>Many cryptographic algorithms or protocols require a random element, mostly in form of a random number, which is newly generated in each case. In these cases, the security of the procedure depends in part on the suitability of these random numbers. As the generation of real random numbers within computers still imposes a problem (a source for real random events can in fact only be gained by exact observation of physical events, which is not easy to realize for software), so called pseudo random numbers are used instead.</i>
Reference authentication data (RAD)	<i>Data persistently stored by the TOE for authentication of a user as authorised for a particular role.</i>

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 12/121
--	--

Term	Definition
Secure messaging	<i>Secure messaging using encryption and message authentication code according to ISO/IEC 7816-4.</i>
Secure signature creation device (SSCD)	<i>Personalized device that meets the requirements laid down in [DIRECTIVE], Annex III by being evaluated according to a security target conforming to this PP ([DIRECTIVE]: 2.5 and 2.6).</i>
Signatory	<i>legitimate user of an SSCD associated with it in the certificate of the signature-verification data and who is authorized by the SSCD to operate the signature-creation function</i>
Signature attributes	<i>Additional information that is signed together with a user message.</i>
Signature creation application (SCA)	<i>Application complementing an SSCD with a user interface with the purpose to create an electronic signature. Note: A signature creation application is software consisting of a collection of application components configured to:</i> <ul style="list-style-type: none"> ▪ <i>present the data to be signed (DTBS) for review by the signatory,</i> ▪ <i>obtain prior to the signature process a decision by the signatory,</i> ▪ <i>if the signatory indicates by specific unambiguous input or action its in-tent to sign send a DTBS/R to the TOE,</i> ▪ <i>process the electronic signature generated by the SSCD as appropriate, e.g. as attachment to the DTBS.</i>
Signature creation data (SCD)	<i>private cryptographic key stored in the SSCD under exclusive control by the signatory to create an electronic signature</i>
Signature creation system (SCS)	<i>complete system that creates an electronic signature consisting of an SCA and an SSCD</i>
Signature verification data (SVD)	<i>public cryptographic key that can be used to verify an electronic signature</i>
Signed data object	<i>The electronic data to which the electronic signature has been attached to or logically associated with as a method of authentication.</i>
Smart card	<i>A smart card is a chip card which contains an internal micro controller with CPU, volatile (RAM) and non-volatile (FLASH) memory, i.e. which can carry out its own calculations in contrast to a simple storage card. Sometimes a smart card has a numerical coprocessor (NPU) to execute public key algorithms efficiently. Smart cards have all of their functionality comprised on a single chip (in contrast to chip cards, which contain several chips wired to each other). Therefore, such a smart card is ideal for use in cryptography as it is almost impossible to manipulate its internal processes.</i>
SSCD provisioning service	<i>service to prepare and provide an SSCD to a subscriber and to support the signatory with certification of generated keys and administrative functions of the SSCD</i>
User	<i>entity (human user or external IT entity) outside the TOE that interacts with the TOE</i>
User Message	<i>data determined by the signatory as the correct input for signing</i>

Term	Definition
Verification authentication data (VAD)	<i>data provided as input to a secure signature creation device for authentication by cognition or by data derived from a user's biometric characteristics</i>

2.2 Abbreviation

ADF	<i>Application Dedicated File</i>
CA	<i>Certification authority</i>
CAD	<i>card acceptance device</i>
CAN	<i>Card Access Number</i>
CC	<i>Common Criteria</i>
CGA	<i>Certification generation application</i>
CPU	<i>Central Processing Unit</i>
CSP	<i>certification service provider</i>
DPA	<i>differential power analysis</i>
DTBS	<i>Data to be signed</i>
DTBS/R	<i>Data to be signed or its unique representation</i>
EAL	<i>Evaluation assurance level</i>
ECC	<i>Elliptic Curve Cryptography</i>
EEPROM	<i>electrically erasable programmable read only memory</i>
GP	<i>GlobalPlatform</i>
HID	<i>human interface device</i>
IT	<i>Information technology</i>
JCVM	<i>java card virtual machine</i>
MAC	<i>Message Authentication Code</i>
MPU	<i>Memory Protection Unit</i>
NVM	<i>Non Volatile Memory</i>
OID	<i>object identifier</i>
OS	<i>Operating System</i>
OSP	<i>Organizational security policy</i>
PACE	<i>Password Authenticated Connection Establishment</i>
PIN	<i>Personal Identification Number</i>
PP	<i>Protection profile</i>
PUK	<i>PIN Unblocked Key</i>
RAD	<i>Reference authentication data</i>
RAM	<i>random access memory</i>
RF	<i>Radio Frequency</i>

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 14/121
--	--

ADF	<i>Application Dedicated File</i>
CA	<i>Certification authority</i>
RNG	<i>random number generation</i>
ROM	<i>read only memory</i>
SAR	<i>Security Assurance Requirements</i>
SCA	<i>Signature creation application</i>
SCD	<i>Signature creation data</i>
SCS	<i>Signature creation system</i>
SDO	<i>Security data object</i>
SF	<i>security function</i>
SFP	<i>Security function policy</i>
SFR	<i>Security functional requirement</i>
SPA	<i>simple power analysis</i>
SSCD	<i>Secure signature creation device</i>
ST	<i>Security target</i>
SVD	<i>Signature verification data</i>
TOE	<i>Target of evaluation</i>
TSF	<i>TOE security functionality</i>
VAD	<i>Verification authentication data</i>

2.3 Associated references

[CC1]	Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and general model. Version 3.1. Revision 4. September 2012. CCMB-2012-09-001.
[CC2]	Common Criteria for Information Technology Security Evaluation, Part 2: Security functional requirements. Version 3.1. Revision 4. September 2012. CCMB-2012-09-002.
[CC3]	Common Criteria for Information Technology Security Evaluation, Part 3: Security assurance requirements. Version 3.1. Revision 4. September 2012. CCMB-2012-09-003.
[CEM]	Common Methodology for Information Technology Security Evaluation, Evaluation Methodology. Version 3.1. Revision 4. September 2012. CCMB-2012-09-004.
[COMP]	Common Criteria mandatory technical document – Composite product evaluation for smart cards and similar devices, CCDB-2012-04-001, Version 1.2, April 2012.
[PP-PACE]	Protection Profile Machine Readable Travel Document using Standard Inspection Procedure with PACE – Common Criteria Protection Profile, BSI-CC-PP-0068-V2-2011, Version 1.0, 2 nd November 2011.
[PP-IC]	Security IC platform protection profile, version 1.0, 15th June 2007. Registered and Certified by Bundesamt für Sicherheit in der Informationstechnik (BSI) under the reference BSI-PP-0035.

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 15/121
--	--

[CC1]	Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and general model. Version 3.1. Revision 4. September 2012. CCMB-2012-09-001.
[PP-SSCD2]	Protection profiles for secure signature creation device — Part 2: Device with key Generation BSI-CC-PP-0059-2009-MA-01, Version 2.0.1, February 2012.
[PP-SSCD3]	Protection profiles for secure signature creation device – Part3: Device with key import BSI-CC-PP-0075-2012, Version 1.0.2, September 2012
[PP-SSCD4]	Protection profiles for secure signature creation device — Part 4: Extension for device with key generation and trusted communication with certificate generation application BSI-CC-PP-0071-2012, Version 1.0.1, December 2012.
[PP-SSCD5]	Protection profiles for secure signature creation device — Part 5: Extension for device with key generation and trusted communication with signature creation application BSI-CC-PP-0072-2012, Version 1.0.1, December 2012.
[PP-SSCD6]	Protection profiles for secure signature creation device – Part6: Extension for device with key import and trusted communication with signature-creation application BSI-CC-PP-0076-2013, Version 1.0.4, April 2013
[PP-PL]	JavaCard Protection Profile – Open Configuration, Version 3.0, May, 2012. Certified by ANSSI under the reference ANSSI-CC-PP-2010/03-M01
[ST-PL]	2015_0000013540 Security Target- IDEalCitiz™ v2.1.1 open platform
[ST-IC]	Security Target Lite M7892 B11 Recertification including optional software libraries RSA – EC – SHA-2 - Toolbox, Version 0.3, 2015-10-13, Infineon Technologies AG. Security Target Lite M7893 B11 including optional software libraries RSA – EC – SHA-2 - Toolbox, Version 0.2, 2015-08-31, Infineon Technologies AG.
[ICAO]	International Civil Aviation Organization, ICAO MACHINE READABLE TRAVEL DOCUMENTS, TECHNICAL REPORT, Supplemental Access Control for Machine Readable Travel Documents, Version 1.0.1, November 2010.
[D9303]	International Civil Aviation Organization, ICAO Doc 9303, Machine Readable Travel Documents – Machine Readable Passports, Version Sixth Edition, 2006 (this includes the latest supplemental for ICAO Doc 9303 which also should be considered).
[CICC]	ISO/IEC 14443 Identification cards -- Contactless integrated circuit cards -- Proximity cards, 2008-11.
[ICC]	ISO/IEC 7816: Identification cards — Integrated circuit cards, Version Second Edition, 2008.
[D03110]	Technical Guideline TR-03110 Advanced Security Mechanisms for Machine Readable Travel Documents – Extended Access Control (EAC), Password Authenticated Connection Establishment (PACE) and Restricted Identification (RI), TR-03110, version 2.02, 09.11.2009, Bundesamt für Sicherheit in der Informationstechnik (BSI).

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 16/121
--	--

[CC1]	Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and general model. Version 3.1. Revision 4. September 2012. CCMB-2012-09-001.
[D03111]	Bundesamt für Sicherheit in der Informationstechnik (BSI), Technical Guideline TR-03111 Elliptic Curve Cryptography, TR-03111, Version 2.0, 28.06.2012.
[D14890-2]	Application Interface for smart cards used as Secure Signature Creation Devices - Part 2: Additional Services.
[PKCS3]	PKCS #3: Diffie-Hellman Key-Agreement Standard, An RSA Laboratories Technical Note, Version 1.4, Revised, November 1, 1993.
[AIS20]	Functionality classes and evaluation methodology for deterministic random number generators, reference: AIS 20, version 1, 02/12/1999, BSI.
[IAS ECC]	Identification Authentication Signature - European Citizen Card Technical Specifications Revision: 1.0.1.
[IAS ADD]	0000098587-01 Addendum IAS-ECC v1.0.1UK.
[DIRECTIVE]	DIRECTIVE 1999/93/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 13 December 1999 on a Community framework for electronic signatures.
[Note10]	CERTIFICATION OF APPLICATIONS ON "OPEN AND ISOLATING PLATFORM Paris, the 27th July 2012. Reference: ANSSI-CCNOTE/10EN.02deW10
[JCRE]	JavaCard Platform, version 3.0.1 (, Classic Edition, including Specification Errata, October 2010, Updated February 2011. Runtime Environment (JavaCard RE) Specification. March 2008. Published by Sun Microsystems, Inc.
[JCAPI]	JavaCard Platform, versions 3.0 (March 2008) and 3.0.1, Classic Edition, including Specification Errata, October 2010, Updated February 2011, Application Programming Interface, March 2008. Published by Sun Microsystems, Inc.
[GP]	GlobalPlatform, Card Specification, Version 2.1.1, March 2003.
[JCVM]	JavaCard Platform, version 3.0.1, Classic Edition, including Specification Errata, October 2010, Updated February 2011 Virtual Machine (JavaCard VM) Specification. Published by Sun Microsystems, Inc

3 Conformance Claims

3.1 CC Conformance

This Security Target claims conformance to the following documents defining the ISO/IEC 15408:2005 standard:

- Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and General Model, CCMB-2012-09-001, Version 3.1, Revision 4, September 2012 [CC1].
- Common Criteria for Information Technology Security Evaluation, Part 2: Security Functional Requirements, CCMB-2012-09-002, Version 3.1, Revision 4, September 2012 [CC2].
- Common Criteria for Information Technology Security Evaluation, Part 3: Security Assurance Requirements, CCMB-2012-09-003, Version 3.1, Revision 4, September 2012 [CC3].
- Common Methodology for Information Technology Security Evaluation, Evaluation Methodology, CCMB-2012-09-004, Version 3.1, Revision 4, September 2012 [CEM].

Conformance to ISO/IEC 15408:2005 is claimed as follows:

- Part 1: conformant
- Part 2: extended with
 - FPT_EMS.1 TOE Emanation
 - FCS_RND Quality metric for random numbers
 - FIA_API Authentication proof of identityAll the other security requirements have been drawn from the catalogue of requirements in [CC2].
- Part 3: conformant, compliant to EAL5 augmented with
 - ALC_DVS.2 (Sufficiency of security measures)
 - AVA_VAN.5 (Advanced methodical vulnerability analysis)

The TOE also includes:

- Integrated Circuit IC: Infineon M7892/93 B11 [ST-IC]. The IC ST claims strict conformance to the security IC platform PP [PP-IC]. The assets, threats, objectives, SFR and security functions specific to the Infineon M7892/93 B11 are described in [ST-IC] and are not repeated in the current ST.
- Java Card Platform: IDealCitiz™ V2.1.1 open platform [ST-PL]. The PL ST claims demonstrable conformance to the security JC platform PP [PP-PL]. The assets, threats, objectives, SFR and security functions specific to the Platform are described in [ST-PL] and are not repeated in the current ST.

3.2 PP Claims

This security target is compliant with the following PPs:

- "Common Criteria Protection Profile for Secure Signature Creation Device – Part 2: Device with key generation" [PP-SSCD2].
- "Common Criteria Protection Profile for Secure Signature Creation Device – Part 3: Device with key import" [PP-SSCD3].

- “Common Criteria Protection Profile for Secure Signature Creation Device – Part 4: Extension for device with key generation and trusted communication with certificate generation application” [PP-SSCD4].
- “Common Criteria Protection Profile for Secure Signature Creation Device – Part 5: Extension for device with key generation and trusted communication with signature creation application” [PP-SSCD5].
- “Common Criteria Protection Profile for Secure Signature Creation Device – Part 6: Extension for device with key import and trusted communication with signature creation application” [PP-SSCD6].

To cover the additional PACE functionality, the following SFR have been added in this ST:

FCS_RND.1

3.3 Conformance Rationale

[PP-SSCD4] and [PP-SSCD5] are strictly conforming to the core PP-SSCD2 [PP-SSCD2].

[PP-SSCD6] is strictly conforming to the core PP-SSCD3 [PP-SSCD3].

This ST is claimed to be conformant to the above mentioned PPs [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5], [PP-SSCD6].

A detailed justification is given in the following:

- 1) The SPD of this ST contains the security problem definition [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5], [PP-SSCD6]. The SPD for this ST is described by the same threats, organisational security policies and assumptions as for the TOE in the PPs.
- 2) The security objectives for the TOE in this ST include all the security objectives for the TOE of the core PPs [PP-SSCD2] and [PP-SSCD3] and add
 - a. the security objectives OT.TOE_TC_VAD_Imp and OT.TOE_TC_DTBS_Imp from [PP-SSCD5] and [PP-SSCD6],
 - b. the security objectives OT.TOE_SSCD_Auth and OT.TOE_TC_SVD_Exp from [PP-SSCD4],
- 3) The assumptions in this ST include A.CSP from [PP-SSCD3] and [PP-SSCD6]. This assumption doesn't mitigate any threat and doesn't fulfil any OSP meant to be addressed by security objectives for the TOE in the other PPs.
- 4) The security objectives for the operational environment in this ST include all security objectives for the operational environment of the core PPs [PP-SSCD2] and [PP-SSCD3] except OE.HI_VAD, OE.DTBS_Protect and OE.SSCD_Prov_Service. This ST adapts OE.HI_VAD and OE.DTBS_Protect to the support provided by the TOE by new security functionality (cf. OT.TOE_TC_VAD_Imp, OT.TOE_TC_DTBS_Imp) provided by the TOE and changes them into OE.HID_TC_VAD_Exp and OE.SCA_TC_DTBS_Exp ([PP-SSCD5] and [PP-SSCD6] for details).
OE.SSCD_Prov_Service is replaced by OE.Dev_Prov_Service from [PP-SSCD4].
This ST also includes security objectives for the operational environment OE.CGA_SSCD_Auth and OE.CGA_TC_SVD_Imp from [PP-SSCD4]

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 19/121
--	--

- 5) The SFRs specified in this ST includes all security functional requirements (SFRs) specified in the core PPs [PP-SSCD2] and [PP-SSCD3]. Additional SFRs address :
 - a. trusted channel between the TOE and the SCA from [PP-SSCD5] and [PP-SSCD6]: FDP_UIT.1/DTBS, FTP_ITC.1/VAD and FTP_ITC.1/DTBS.
 - b. Trusted communication with CGA from [PP-SSCD4] : FIA_API.1 and FDP_DAU.2/SVD, FTP_ITC.1/SVD

- 6) This ST provides refinements for the SFR FIA_UAU.1 according to [PP-SSCD4], [PP-SSCD5] and [PP-SSCD6].

- 7) To cover the additional PACE functionality, the following SFR have been added in this ST FCS_RND.1. This SFR does not come from any of the PP-SSCD.

- 8) The security assurance requirements (SARs) are originally taken from SARs of CC 3.1 Part 3 according to the package conformance EAL 5 augmented with ALC_DVS.2 and AVA_VAN.5 (the Evaluation Assurance Level EAL5+ of the current ST exceeds the EAL4+ defined by [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5], [PP-SSCD6]).

The document [COMP] shall be used in addition to the CC part 3 [CC3] and to the CEM [CEM]. This document specifies the additional information to be provided by a developer, and the additional checks to be performed by the ITSEF (Information Technology Security Evaluation Facility) when performing a "composite evaluation".

This security target is compliant with the SPD of [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5], [PP-SSCD6] as shown in the following table:

TOE SPDs	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
Assumptions						
A.CGA	x		x	x		x
A.SCA	x		x	x		x
A.CSP		x			x	x
Threats						

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 20/121
--	--

TOE SPDs	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
T.SCD_Divulg	x	x	x	x	x	x
T.SCD_Derive	x	x	x	x	x	x
T.Hack_Phys	x	x	x	x	x	x
T.SVD_Forgery	x	x	x	x	x	x
T.SigF_Misuse	x	x	x	x	x	x
T.DTBS_Forgery	x	x	x	x	x	x
T.Sig_Forgery	x	x	x	x	x	x
Organisational Security Policies						
P.CSP_QCert	x	x	x	x	x	x
P.QSign	x	x	x	x	x	x
P.Sigy_SSCD	x	x	x	x	x	x
P.Sig_Non-Repud	x	x	x	x	x	x

Table 1 PP SPDs vs. ST

This security target is compliant with the security objectives of [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5], [PP-SSCD6] as shown in the following table:

TOE Objectives	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
Objectives for the TOE						

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **21/121**

TOE Objectives	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
OT.Lifecycle_Security	x	x	x	x	x	x
OT.SCD/SVD_Auth_Gen	x		x	x		x
OT.SCD_Unique	x		x	x		x
OT.SCD_SVD_Corresp	x		x	x		x
OT.SCD_Secrecy	x	x	x	x	x	x
OT.Sig_Secure	x	x	x	x	x	x
OT.Sigy_SigF	x	x	x	x	x	x
OT.DTBS_Integrity_TOE	x	x	x	x	x	x
OT.EMSEC_Design	x	x	x	x	x	x
OT.Tamper_ID	x	x	x	x	x	x
OT.Tamper_Resistance	x	x	x	x	x	x
OT.TOE_TC_VAD_Imp				x	x	x
OT.TOE_TC_DTBS_Imp				x	x	x
OT.TOE_SSCD_Auth			x			x
OT.TOE_TC_SVD_Exp			x			x
OT.SCD_Auth_Imp		x			x	x
Objectives for the Operational Environment						

**Security target LITE ID.me 1.28 on
IDeaCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **22/121**

TOE Objectives	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
OE.SVD_Auth	x	x	x	x	x	x
OE.CGA_QCert	x	x	x	x	x	x
OE.SSCD_Prov_Service	x	x		x	x	
OE.SCD/SVD_Auth_Gen		x			x	x
OE.SCD_Unique		x			x	x
OE.SCD_SVD_Corresp		x			x	x
OE.SCD_Secrecy		x			x	x
OE.HID_VAD	x	x	x			
OE.DTBS_Intend	x	x	x	x	x	x
OE.DTBS_Protect	x	x	x			
OE.Signatory	x	x	x	x	x	x
OE.HID_TC_VAD_Exp				x	x	x
OE.SCA_TC_DTBS_Exp				x	x	x
OE.Dev_Prov_Service			x			x
OE.CGA_SSCD_Auth			x			x
OE.CGA_TC_SVD_Imp			x			x

Table 2 PP Security Objectives vs. ST

This security target is compliant with the security functional requirements of [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5], [PP-SSCD6] as shown in the following table:

**Security target LITE ID.me 1.28 on
IdealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: 23/121

TOE SFRs	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
FCS_CKM.1	x		x	x		x
FCS_CKM.4	x	x	x	x	x	x
FCS_COP.1	x	x	x	x	x	x
FDP_ACC.1/SCD/SVD_Generation	x		x	x		x
FDP_ACF.1/SCD/SVD_Generation	x		x	x		x
FDP_ACC.1/SVD_Transfer	x		x	x		x
FDP_ACF.1/SVD_Transfer	x		x	x		x
FDP_ACC.1/Signature_Creation	x	x	x	x	x	x
FDP_ACF.1/Signature_Creation	x	x	x	x	x	x
FDP_ACC.1/SCD_Import		x			x	x
FDP_ACF.1/SCD_Import		x			x	x
FDP_RIP.1	x	x	x	x	x	x
FDP_SDI.2/Persistent	x	x	x	x	x	x
FDP_SDI.2/DTBS	x	x	x	x	x	x
FIA_UID.1	x	x	x	x	x	x
FIA_UAU.1	x	x	x	x	x	x
FIA_AFL.1	x	x	x	x	x	x
FMT_SMR.1	x	x	x	x	x	x
FMT_SMF.1	x	x	x	x	x	x
FMT_MOF.1	x	x	x	x	x	x
FMT_MSA.1/Admin	x	x	x	x	x	x
FMT_MSA.1/Signatory	x	x	x	x	x	x
FMT_MSA.2	x	x	x	x	x	x
FMT_MSA.3	x	x	x	x	x	x
FMT_MSA.4	x	x	x	x	x	x

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **24/121**

TOE SFRs	PP SSCD2	PP SSCD3	PP SSCD4	PP SSCD5	PP SSCD6	Included
FMT_MTD.1/Admin	x	x	x	x	x	x
FMT_MTD.1/Signatory	x	x	x	x	x	x
FPT_EMS.1	x	x	x	x	x	x
FPT_FLS.1	x	x	x	x	x	x
FPT_PHP.1	x	x	x	x	x	x
FPT_PHP.3	x	x	x	x	x	x
FPT_TST.1	x	x	x	x	x	x
FIA_API.1			x			x
FTP_ITC.1/SVD			x			x
FDP_DAU.2/SVD			x			x
FDP_UIT.1/DTBS				x	x	x
FTP_ITC.1/VAD				x	x	x
FTP_ITC.1/DTBS				x	x	x
FDP_ITC.1/SCD		x				x
FDP_UCT.1/SCD		x				x
FTP_ITC.1/SCD		x				x
FCS_RND.1						x

Table 3 PP SFRs vs. ST

4 Statement of Compatibility

In this section, the compatibility between the Composite ST and the Platform ST [ST-PL] is examined. In other words, it will be shown that there is no conflict between the security environment, the security objectives, and the security requirements of the Composite Security Target and the Platform Security Target.

4.1 Compatibility between SFRs

The following table lists the relevant SFRs of the IDealCitiz™ v2.1.1 open platform given in [ST-PL], and provides the link to the SFRs on the composite-product, showing that there is no contradiction between the two.

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 26/121
--	--

Platform SFR	Composite SFR	Compatibility
FAU_ARP.1	Indirectly supports FPT_FLS.1, FPT_PHP.3	Internal counter for security violations complement IDEalCitiz™ mechanisms
FCS_CKM.1	FCS_CKM.1 (used EC, RSA)	The requirement in this ST is equivalent to parts of the platform ST. See SF.APP_CRYPTO
FCS_CKM.2	No correspondence	managed within IDEalCitiz™ No contradiction to this ST
FCS_CKM.3	No correspondence	managed within IDEalCitiz™ No contradiction to this ST
FCS_CKM.4	FCS_CKM.4	The requirement in this ST leads to the fulfillment of the platform SFR. See SF.APP_CRYPTO
FCS_COP.1	FCS_COP.1	The requirement of the ST targets digital signature generation, PACE authentication, Ciphering and deciphering. It is fulfilled by the platform SFR. See SF.AUTHENTICATION, SF.APP_CRYPTO, SF.TRUSTED_CHANNEL
FDP_ACC.2/FIREWALL FDP_ACC.2/ADEL	No correspondence	managed within IDEalCitiz™: access control mechanisms No contradiction to this ST
FDP_ACF.1/FIREWALL FDP_ACF.1/ADEL	No correspondence	IDEalCitiz™ access control mechanisms No contradiction to this ST
FDP_IFC.1/JCVM	No correspondence	refers to IDEalCitiz™ Virtual Machine No contradiction to this ST
FDP_IFF.1/JCVM	No correspondence	refers to IDEalCitiz™ Virtual Machine No contradiction to this ST

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_200022481 Page: 27/121
--	---

Platform SFR	Composite SFR	Compatibility
FDP_RIP.1/OBJECTS FDP_RIP.1/ABORT FDP_RIP.1/APDU FDP_RIP.1/bArray FDP_RIP.1/KEYS FDP_RIP.1/TRANSIENT FDP_RIP.1/ADEL FDP_RIP.1/ODEL	FDP_RIP.1	The platform SFR leads to fulfillment of the SFR of this ST. No contradiction.
FDP_ROL.1/FIREWALL	No correspondence	refers to IDEalCitiz™ Virtual Machine No contradiction to this ST
FDP_SDI.2	No correspondence	IDEalCitiz™: internal data integrity protection No contradiction to this ST
FDP_ITC.2/Installer	No correspondence	IDEalCitiz™: data control mechanisms No contradiction to this ST
FCO_NRO.2/CM	No correspondence	IDEalCitiz™: PACKAGE LOADING information flow control No contradiction to this ST
FDP_IFC.2/CM	No correspondence	IDEalCitiz™: PACKAGE LOADING information flow control No contradiction to this ST
FDP_IFT.1/CM	No correspondence	IDEalCitiz™: PACKAGE LOADING information flow control No contradiction to this ST
FDP_UIT.1/CM	No correspondence	IDEalCitiz™: PACKAGE LOADING information flow control No contradiction to this ST
FIA_ATD.1/AID	No correspondence	IDEalCitiz™ AID management No contradiction to this ST

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 28/121
--	--

Platform SFR	Composite SFR	Compatibility
FIA_UID.2/AID	No correspondence	IDEalCitiz™ AID management No contradiction to this ST
FIA_USB.1/AID	No correspondence	IDEalCitiz™ AID management No contradiction to this ST
FIA_UID.1/CM	No correspondence	IDEalCitiz™ Card Identification No contradiction to this ST
FMT_MSA.1/JCRE FMT_MSA.1/JCVM	No correspondence	IDEalCitiz™ Firewall mechanism No contradiction to this ST
FMT_MSA.2/FIREWALL_JCVM	No correspondence	IDEalCitiz™ Firewall mechanism and JCVM information No contradiction to this ST
FMT_MSA.3/FIREWALL	No correspondence	IDEalCitiz™ Firewall mechanism No contradiction to this ST
FMT_MSA.3/JCVM	No correspondence	IDEalCitiz™ JCVM information No contradiction to this ST
FMT_SMF.1	FMT_SMF.1	Fullfillment of the platform SFR is used for fulfillment of the SFR of this ST.
FMT_SMR.1	No correspondence	IDEalCitiz™ specific roles No contradiction to this ST
FMT_MTD.1/JCRE	No correspondence	IDEalCitiz specific roles No contradiction to this ST
FMT_MTD.3/JCRE	No correspondence	IDEalCitiz™: secure values for the registered applets' AIDs No contradiction to this ST
FMT_MSA.1/ADEL	No correspondence	IDEalCitiz™: Firewall management and Applet deletion management No contradiction to this ST
FMT_MSA.3/ADEL	No correspondence	IDEalCitiz™: Firewall management and Applet deletion management No contradiction to this ST

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 29/121
--	--

Platform SFR	Composite SFR	Compatibility
FMT_SMF.1/ADEL	No correspondence	IDEalCitiz™: Applets/AIDs management No contradiction to this ST
FMT_SMR.1/ADEL	No correspondence	IDEalCitiz™: Applet deletion management No contradiction to this ST
FMT_MSA.1/CM	No correspondence	IDEalCitiz™: Package loading, security attributes and security domain management No contradiction to this ST
FMT_MSA.3/CM	No correspondence	IDEalCitiz™: Package loading, security attributes and security domain management No contradiction to this ST
FMT_SMF.1/CM	No correspondence	IDEalCitiz™: management functions specified in GP No contradiction to this ST
FMT_SMR.1/CM	No correspondence	IDEalCitiz™: Card Administrator roles management No contradiction to this ST
FMT_SMR.1/Installer	No correspondence	IDEalCitiz™: Card Administrator roles management No contradiction to this ST
FPR_UNO.1	No correspondence	IDEalCitiz™: Firewall management and package separation No contradiction to this ST
FPT_FLS.1 FPT_FLS.1/Installer FPT_FLS.1/ADEL FPT_FLS.1/ODEL FPT_FLS.1/OS	FPT_FLS.1	Internal countermeasures for detecting security violations complement IDEalCitiz™ mechanisms

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 30/121
--	--

Platform SFR	Composite SFR	Compatibility
FPT_TDC.1	No correspondence	IDEalCitiz™: JVM specification, interpretation of CAP files, bytecode and data arguments No contradiction to this ST
FPT_RCV.3/Installer	No correspondence	IDEalCitiz™: package loading and applet installation management No contradiction to this ST
FPT_RCV.3/OS	No correspondence	IDEalCitiz™: memory management and memory access control No contradiction to this ST
FPT_RCV.4/OS	No correspondence	IDEalCitiz™: memory management, memory access control, preservation of secure state when power loss No contradiction to this ST
FPT_PHP.3/OS	FPT_PHP.3	Fullfillment of the platform SFR is used for fulfillment of the SFR of this ST.
FTP_ITC.1/CM	No correspondence	IDEalCitiz™: trusted channel for loading/installing a new application package on the card No contradiction to this ST
FDP_ACC.1/CardLifeCycleManagement	No correspondence	refers to IDEalCitiz™ card life cycle management No contradiction to this ST
FDP_ACF.1/CardLifeCycleManagement	No correspondence	refers to IDEalCitiz™ card life cycle management No contradiction to this ST
FMT_MSA.1/CardLifeCycleManagement	No correspondence	refers to IDEalCitiz™ card life cycle management No contradiction to this ST
FMT_MSA.3/CardLifeCycleManagement	No correspondence	refers to IDEalCitiz™ card life cycle management No contradiction to this ST
FTP_ITC.1/CardLifeCycleManagement	No correspondence	refers to IDEalCitiz™ card life cycle management No contradiction to this ST

Security target LITE ID.me 1.28 on IDDealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 31/121
---	--

Platform SFR	Composite SFR	Compatibility
FCS_CKM.2/PACE	No correspondence	refers to IDDealCitiz™ PACE key management No contradiction to this ST
FCS_CKM.3/PACE	No correspondence	refers to IDDealCitiz™ PACE key management No contradiction to this ST
FCS_COP.1/PACE	No correspondence	refers to IDDealCitiz™ PACE key management No contradiction to this ST

4.2 Compatibility between OTs

The following table lists the relevant Security Objectives (O) of the IDDealCitiz™ platform given in [ST-PL], and provides the link to the Security Objectives (OT) on the composite-product, showing that there is no contradiction between the two.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_200022481

Page: **32/121**

Platform Security Objectives	Composite Security Objectives	Compatibility
O.SID	No correspondence	No contradiction to this ST
O.FIREWALL	No correspondence	No contradiction to this ST
O.GLOBAL_ARRAYS_CONFID	No correspondence	No contradiction to this ST
O.GLOBAL_ARRAYS_INTEG	No correspondence	No contradiction to this ST
O.NATIVE	No correspondence	No contradiction to this ST
O.OPERATE	OT.SCD_Unique	No contradiction to this ST
O.REALLOCATION	No correspondence	No contradiction to this ST
O.RESOURCES	No correspondence	No contradiction to this ST
O.ALARM	No correspondence	No contradiction to this ST
O.CIPHER	OT.SCD_Unique, OT.Sig_Secure	No contradiction to this ST
O.KEY-MNGT	OT.SCD_Secrecy, OT.SCD/SVD_Auth_Gen , OT.SCD_Unique	No contradiction to this ST
O.PIN-MNGT	No correspondence	No contradiction to this ST
O.BIO-MNGT	No correspondence	No contradiction to this ST
O.TRANSACTION	No correspondence	No contradiction to this ST
O.OBJ-DELETION	No correspondence	No contradiction to this ST
O.DELETION	No correspondence	No contradiction to this ST
O.LOAD	OT.Lifecycle_Security	No contradiction to this ST
O.INSTALL	OT.Lifecycle_Security	No contradiction to this ST
O.SCP.IC	OT.Tamper_Resistance	No contradiction to this ST
O.SCP.RECOVERY	OT.EMSEC_Design	No contradiction to this ST
O.SCP.SUPPORT	No correspondence	No contradiction to this ST
O.CARD-MANAGEMENT	OT.Lifecycle_Security	No contradiction to this ST

4.3 Compatibility between OEs

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **33/121**

The following table lists the relevant Security Objectives for the environments (OE) of the IDealCitiz™ platform given in [ST-PL], and provides the link to the OEs on the composite-product, showing that there is no contradiction between the two.

Platform OE	Composite OE	Compatibility
OE.APPLET	No correspondence	No contradiction to this ST
OE.VERIFICATION	Applet is loaded pre issuance on platform. Same organizational measures than for platform apply.	No contradiction to this ST
OE.CODE-EVIDENCE	Applet code is delivered with Platform code to the founder. Same measures apply.	No contradiction to this ST
OE.SECURITY-DOMAINS	No correspondence	No contradiction to this ST
OE.QUOTAS	No correspondence	No contradiction to this ST
OE.SHARE-CONTROL	No correspondence	No contradiction to this ST
OE.KEY_GENERATION	No correspondence	No contradiction to this ST
OE.PRODUCTION	Platform guidance documents have to be taken into account	No contradiction to this ST

4.4 Compatibility between As

The following table lists the relevant assumptions (A) of the IDealCitiz™ platform given in [ST-PL], and provides the link to the assumptions on the composite-product, showing that there is no contradiction between the two.

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 34/121
--	--

Platform A	Composite A	Compatibility
A.APPLET	Guidance of the Platform-Developer for the Applet Developer has to be applied	No contradiction to this ST
A.VERIFICATION	Guidance of the Platform-Developer for the Applet Developer has to be applied	No contradiction to this ST
A.PRODUCTION	Guidance of the Platform-Developer for the Applet Developer has to be applied	No contradiction to this ST

4.5 Compatibility between OSPs

The following table lists the relevant OSPs of the IDEalCitiz™ platform given in [ST-PL], and provides the link to the OSPs on the composite-product, showing that there is no contradiction between the two.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **35/121**

Platform OSP	Composite OSP	Compatibility
OSP.VERIFICATION	Guidance of the Platform-Developer for the Applet-Developer and recommendations related to the isolation property of the platform have to be applied in the application code	No contradiction to this ST
OSP.SECURITY_DOMAINS	No correspondence	No contradiction to this ST
OSP.QUOTAS	No correspondence	No contradiction to this ST
OSP.KEY_GENERATION	Guidance of the Platform-Developer for the Applet-Developer and recommendations related to the Key Generation have to be applied in the application code	No contradiction to this ST
OSP.SHARE-CONTROL	Guidance of the Platform-Developer for the Applet-Developer and recommendations related to the Shareable interface functionality have to be applied in the application code	No contradiction to this ST

4.6 Compatibility between Ts

The following table lists the relevant threats (T) of the IDealCitiz™ platform given in [ST-PL], and provides the link to the threats on the composite-product, showing that there is no contradiction between the two.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **36/121**

Platform T	Composite T	Compatibility
T.CONFID-APPLI-DATA	No correspondence	No contradiction to this ST
T.CONFID-JCS-CODE	No correspondence	No contradiction to this ST
T.CONFID-JCS-DATA	No correspondence	No contradiction to this ST
T.INTEG-APPLI-CODE	No correspondence	No contradiction to this ST
T.INTEG-APPLI-CODE.LOAD	No correspondence	No contradiction to this ST
T.INTEG-APPLI-DATA	T.DTBS_Forgery, T.Sig_Forgery, T.SCD_Divulg, T.SCD_Derive, T.SVD_Forgery	
T.INTEG-APPLI-DATA.LOAD	No correspondence	No contradiction to this ST
T.INTEG-JCS-CODE	No correspondence	No contradiction to this ST
T.INTEG-JCS-DATA	No correspondence	No contradiction to this ST
T.SID.1	No correspondence	No contradiction to this ST
T.SID.2	No correspondence	No contradiction to this ST
T.EXE-CODE.1	No correspondence	No contradiction to this ST
T.EXE-CODE.2	No correspondence	No contradiction to this ST
T.NATIVE	No correspondence	No contradiction to this ST
T.RESOURCES	No correspondence	No contradiction to this ST
T.DELETION	No correspondence	No contradiction to this ST
T.INSTALL	No correspondence	No contradiction to this ST
T.OBJ-DELETION	No correspondence	No contradiction to this ST
T.PHYSICAL	T.Hack_Phys	No contradiction to this ST
T.APP_DATA_INTEGRITY	No correspondence	No contradiction to this ST
T.UNAUTH_CARD_MNGT	No correspondence	No contradiction to this ST
T.LIFE_CYCLE	No correspondence	No contradiction to this ST
T.UNAUTH_ACCESS	No correspondence	No contradiction to this ST

4.7 Separation and Compatibility of SFs

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_200022481

Page: **37/121**

This section describes the separation of relevant TSF described in the Security Target of the underlying platform being used by this Security Target.

Platform TSF	Usage by TOE
F.OPEN	Not relevant
F.CARD_MANAGER	Not relevant
F.JAVA_CARD_SYSTEM	Not relevant
F.JAVA_API	Relevant SF Used by SF.TRUSTED_CHANNEL, SF.MANAGEMENT
F.AUTHENTICATION	Relevant SF Used by SF.AUTHENTICATION, SF.TRUSTED_CHANNEL
F.MEMORY_PROGRAMMING	Not relevant
F.SECURE_DATA_MANAGER	Relevant SF Used by SF.RATIF, SF.AUTHENTICATION, SF.MANAGEMENT
F.SECRET_DATA_MANAGER	Relevant SF Used by SF.RATIF, SF.AUTHENTICATION, SF.MANAGEMENT
F.SYSTEM_MANAGER	Not relevant
F.CRYPTOGRAPHIC_OPERATIONS	Relevant SF Used by SF.APP_CRYPTO
F.MEMORY_ACCESS	Not relevant
F.MEMORY_CONTROLLER	Not relevant
F.INPUT/OUTPUT_LAYER	Not relevant
F.TRANSPORT_LAYER	Not relevant

Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 38/121
--	--

Platform TSF	Usage by TOE
F.CRYPTOGRAPHY_SERVICES	Relevant SF Used by SF.APP_CRYPTO
F.SECURITY_CONFIGURATION	Not relevant
F.CPU_MANAGER	Not relevant
F.INTEGRATED_CIRCUIT	Relevant SF Used by SF.APP_INTEGRITY

4.8 Compatibility of Assurance Requirements

The level of assurance of the:

- TOE is EAL5 augmented with ALC DVS.2 and AVA_VAN.5
- Platform is EAL5 augmented with ALC DVS.2 and AVA VAN.5

This shows that the Assurance Requirements of the TOE matches the Assurance Requirements of the underlying Platform.

5 TOE Description

5.1 Product Presentation

The CC IDeal Citiz product is the DUAL integrated circuit chip embedding

- An Operating system providing:
 - Java Card interfaces, as specified in [JCAPI]
 - Extended interfaces for targeted applications needs
- A Set of applications:
 - An ID.me application compliant with the IAS ECC v1.0.1 specification [IAS ECC],
 - A card manager application compliant with the GlobalPlatform v2.1.1 specifications [GP] standard. This application enables the card issuer to add functionality to the product by loading and executing new applets, even in the evaluated configuration. This functionality is out of the scope of the evaluation.

All applications are protected against post issuance Java Card applet loading and execution thanks to a firewall mechanism.

5.2 Overview of ID.me Package

The ID.me is an European Card for e-Services and national e-ID Applications based on Java Card. ID.me is designed to be compliant with the IAS ECC v1.0.1 specification [IAS ECC], taking into account the addendum [IAS ADD]. It provides the following services:

- 1) SSCD containing data needed for generating electronic signatures on behalf of the Card Holder as well as for user authentication; this application is intended to be used in the context of official and commercial services, where an electronic signature of the Card Holder is required: to be certified according to [PP-SSCD2], [PP-SSCD3], [PP-SSCD4], [PP-SSCD5] and [PP-SSCD6].
- 2) PACE authentication to ensure a trusted channel secure communication with a SCA and a CGA.

The TOE comprises of

- The Infineon M7892/93 B11 integrated circuit,
- The Crypto Libraries:
 - For M7892 B11 IC: RSA2048/4096 v1.02.013, EC v1.02.013, SHA-2 v1.01 and Toolbox v1.02.013 libraries
 - For M7893 B11 IC: RSA2048/4096 v1.03.006, EC v1.03.006, SHA-2 v1.01 libraries and Toolbox v1.03.006
- The IDealCitiz™ v2.1.1 Java Card open platform,
- The applet containing the SSCD functionality and,
- The associated guidance documentation [AGD_OPE], [AGD_PRE].

Security target LITE ID.me 1.28 on IdealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 40/121
--	---------------------------------------




Figure 2: TOE physical scope

Beside the TOE, the product can include other Java Card applications (out of scope of the TOE). ID.ealCitiz™ Operating System enforces separation of the data between the applets and associated packages imposing logical separation of data using the Java Card™ Firewall [JCRE].

5.3 TOE Functions

The TOE is a combination of hardware and software configured to securely create, import, use and manage signature creation data (SCD). The SSCD protects the SCD during its whole lifecycle as to be used in a signature creation process solely by its signatory.

The TOE comprises all IT security functionality necessary to ensure the secrecy of the SCD and the security of the electronic signature.

The TOE provides the following functions:

- generation of the SCD and the correspondent SVD,
- importation of the SCD and, optionally, the correspondent signature verification data (SVD)
- export the SVD for certification through a trusted channel to the CGA,
- prove the identity as SSCD to external entities
- optionally, receive and store certificate info,
- switch the TOE from a non operational state to an operational state, and
- if in an operational state, create digital signatures for data with the following steps:
 - select an SCD if multiple are present in the SSCD,
 - receive DTBS or a unique representation thereof DTBS/R through a trusted channel with SCA.
 - authenticate the signatory and determine its intent to sign,
 - apply an appropriate cryptographic signature creation function using the selected SCD to the DTBS/R
- identification and authentication of trusted users and applications,
- data storage and protection from modification or disclosures, as needed,
- secure exchange of sensitive data between the TOE and a trusted applications,
- secure exchange of sensitive data between the TOE and a trusted human interface device.

The TOE is prepared for the signatory's use by

- generating or importing at least one SCD/SVD pair, and
- personalizing for the signatory by storing in the TOE:
 - the signatory's reference authentication data (RAD)
 - optionally, certificate info for at least one SCD in the TOE.

After preparation or import the SCD shall be in a non-operational state. Upon receiving a TOE the signatory shall verify its non-operational state and change the SCD state to operational.

After preparation the intended, legitimate user should be informed of the signatory's verification authentication data (VAD) required for use of the TOE in signing. If the VAD is a password, PIN or a biometric template, providing this information shall protect the confidentiality of the corresponding RAD.

If the use of an SCD is no longer required, then it shall be destroyed (e.g. by erasing it from memory) as well as the associated certificate info, if any exists.

5.4 Operation of the TOE

This section presents a functional overview of the TOE in its distinct operational environments:

- 1) The preparation environment, where it interacts with a certification service provider through a SCD/SVD generation application to import, if applicable, a signature creation data (SCD) and a certificate generation application (CGA) to obtain a certificate for the signature validation data (SVD) corresponding with the SCD the TOE or the CSP has generated. In case of SCD/SVD generation by the CSP, the SCD/SVD generation application transmits the SVD to the CGA. The initialization environment interacts further with the TOE to personalize it with the initial value of

- the reference authentication data (RAD). Optionally, the TOE may export the SVD through a trusted channel allowing the CGA to check the authenticity of the SVD.
- 2) The signing environment where it interacts with a signer through a signature creation application (SCA) to sign data after authenticating the signer as its signatory. The signature creation application provides the data to be signed (DTBS), or a unique representation thereof (DTBS/R) as input to the TOE signature creation function and obtains the resulting digital signature. Optionally, the TOE and the SCA may communicate through a trusted channel to ensure the confidentiality and the integrity of the DTBS/R.
 - 3) The management environments where it interacts with the user or an SSCD-provisioning service provider to perform management operations, e.g. for the signatory to reset a blocked RAD. A single device, e.g. a smart card terminal, may provide the required secure environment for management and signing.

The signing environment, the management environment and the preparation environment are secure and protect data exchanged with the TOE.

The TOE stores signature creation data and reference authentication data. The TOE may store multiple instances of SCD. In this case the TOE shall provide a function to identify each SCD and the SCA can provide an interface to the signer to select an SCD for use in the signature creation function of the SSCD. The TOE protects the confidentiality and integrity of the SCD and restricts its use in signature creation to its signatory. The digital signature created by the TOE is a qualified electronic signature as defined in Article 5.1 of the directive [DIRECTIVE]. Determining the state of the certificate as qualified is beyond the scope of this standard.

The signature creation application shall protect the integrity of the input it provides to the TOE signature creation function as being consistent with the user data authorized for signing by the signatory. Unless implicitly known to the TOE, the SCA indicates the kind of the signing input (as DTBS/R) it provides and computes any hash values required. The TOE may augment the DTBS/R with signature parameters it stores and then computes a hash value over the input as needed by the kind of input and the used cryptographic algorithm. Optionally, the TOE and the SCA may communicate through a trusted channel in order to protect the integrity of the DTBS/R.

The TOE stores signatory RAD to authenticate a user as its signatory. The RAD is a password e.g. PIN, a biometric template or a combination of these. The TOE protects the confidentiality and integrity of the RAD. The TOE receives the VAD from the signature creation application. The signature creation application protects the confidentiality of this data.

A certification service provider and a SSCD-provisioning service provider interact with the TOE in the secure preparation environment to perform any preparation function of the TOE required before control of the TOE is given to the legitimate user. These functions include but are not limited to:

- initializing the RAD,
- generating a key pair,
- storing personal information of the legitimate user.

Optionally, the TOE and the CGA communicate through a trusted channel in order to protect the integrity and authenticity of the SVD exported from the TOE.

The TOE is a SSCD with PACE on a smart card. A smart card terminal shall be deployed that provides the required secure environment to handle a request for signatory authorization. A signature can be obtained on a document prepared by a signature creation application component running on personal computer connected to the card terminal. The signature creation application, after presenting the document to the user and after obtaining the authorization initiates the digital signature creation function of the smart card through the terminal.

This TOE does not implement, in addition to the functions of the SSCD, the signature creation application (SCA). The SCA presents the data to be signed (DTBS) to the signatory and prepares the DTBS representation the signatory wishes to sign for performing the cryptographic function of the signature. The SCA is considered as part of the environment of the TOE.

The TOE allows implementing a Human Interface (HI) for user authentication:

- 1) by the TOE itself or
- 2) by a trusted human interface device connected via a trusted channel with the TOE.

The human interface device is used for the input of VAD for authentication by knowledge or for the generation of VAD for authentication by biometric characteristics.




Figure 3: Scope of the SSCD

The security functionality of the TOE will be externally available to the user by APDU commands according to the access conditions specified by the appropriate policies considering the life cycle state, user role and security state.

5.5 Open and isolating Platform

This security target claims conformance to the Application Note 10 on Open and Isolating platform, issued by ANSSI [Note10].

An "open platform" can host new applications:

- Before its delivery to the end user (during phases 4, 5 or 6 of the traditional smartcard lifecycle). Such loadings are called "pre-issuance".
- After its delivery to the end user (phase 7). Such loadings are called "post-issuance".

An "isolating platform" is a platform that maintains the separation of the execution domains of all embedded applications on a platform, as of the platform itself. "Isolation" refers here to domain separation of applications as well as protection of application's data.

5.6 Major security features of the TOE

The TOE provides the following TOE security features:

5.6.1 Authentication mechanisms

This feature realizes three authentication mechanisms: PIN verification, biometric characteristic verification and alternatively authentication with the PACE protocol. It also ensures that only authenticated terminals can get access to the user data stored on the TOE.

5.6.2 Cryptographic

This feature performs high level cryptographic operations (key generation, Signature Creation, destruction of cryptographic keys and random number generation). The implementation is mainly based on the Security Functionalities provided by the platform.

5.6.3 Trusted Channels

This feature realizes a secure communication channel to verify authenticity and integrity as well as securing confidentiality of user data between the TOE and other devices connected. The TOE provides:

- Secure messaging with external applications as CGA and SCA
- PACE used to establish session keys for secure messaging
- TDES for encryption/decryption and MAC generation/verification
- AES for encryption/decryption

This feature is provided by the platform and used for secure messaging.

5.6.4 Access Control

This feature manages the access to objects (files, directories, data and secrets) stored in the ID.me file system. It ensures secure management of secrets such as cryptographic keys. Access control is enforced by the APDU methods as specified in the interface defined in the functional specification.

5.6.5 Data Storage

This feature manages the storage of manufacturing data, pre-personalization data and personalization data. This covers secure key storage.

5.6.6 Integrity

This feature monitors the integrity of sensitive user data and the integrity of the DTBS/R.

5.6.7 Features from the Platform

This contains all security functionalities provided by the certified platform (IC and Java Card operation system):

- Protection against malfunctions that are caused by exposure to operating conditions that may cause a malfunction. This includes hardware resets and operation outside the specified norms.
- Protection against physical attack and perform self tests as described in [ST-PL].
- Security domains are supported by the Java Card platform.
- Cryptographic operations: Signature generation, signature creation and secure messaging.

Security target LITE ID.me 1.28 on IdealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 46/121
--	---------------------------------------

5.7 TOE Life Cycle

5.7.1 General

The TOE life cycle in Figure 3 distinguishes stages for development, production, preparation and operational use. The development and production of the TOE (cf. CC part 1 [CC1], para.139) together constitute the development phase of the TOE. The development phase is subject of CC evaluation according to the assurance life cycle (ALC) class. The development phase ends with the delivery of the TOE to a SSCD-provisioning service provider. The functional integrity of the TOE shall be protected in delivering it to a SSCD-provisioning service provider : before any delivery occurs, the TOE is secured with a Transport Key. The SSCD-provisioning service will be able to unlock the card with the Transport Key before the preparation phase.




Figure 4: TOE Life Cycle (SCD Generation by TOE)




Figure 5: TOE Life Cycle (SCD import by TOE)

The TOE operational use stage begins when the signatory performs the TOE operation to enable it for use in signing operations. Enabling the TOE for signing requires at least one key stored in its memory. The TOE life cycle ends when all keys stored in it have been rendered permanently unusable. Rendering a key in the SSCD unusable shall include deletion of the any stored corresponding certificate info.

5.7.2 Development phase (Phases 1 & 2 of the IC life cycle [PP-IC])

This phase is composed of two stages:

- IC embedded software development
- IC development

The IC Embedded Software Developer is in charge of:

- Specification, development and validation of the software (IC operating system & ID.me Package).
- Specification of IC initialization requirements.

The IC Developer:

- Designs the IC, develops the IC dedicated software and provides information, software or tools to the IC embedded software developer.

Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 48/121
--	--

- Receives the smartcard embedded software from the developer, through trusted delivery and verification procedures.

From the IC design, IC Dedicated Software and Smartcard Embedded Software, the IC Developer constructs the smartcard IC database, necessary for the IC photo mask fabrication.

Actors :

IC Embedded Software Developer	Infineon, SAFRAN I&S (Osny)
IC Developer	Infineon

5.7.3 Production phase (Phases 3, 4 & 5 of the Platform life cycle)

This phase is composed of three stages:

- IC manufacturing and testing
- IC Packaging
- Smartcard Prepersonalization & testing

The IC Manufacturer is responsible for producing the IC through three main steps:

- IC manufacturing,
- IC testing,
- IC Initialization.

The IC Packaging Manufacturer is responsible for IC packaging and testing.

The smartcard prepersonalizer is responsible for prepersonalizing the smartcard

Actors :

IC Manufacturer	Infineon or SAFRAN I&S (Ostrava)
IC Packaging Manufacturer	Infineon or SAFRAN I&S (Ostrava)
Smartcard prepersonalizer	Infineon or SAFRAN I&S (Ostrava)

5.7.4 Preparation phase (Phases 6 of the Platform life cycle)

This phase consists of:

- 1) Finishing process of the product (Composite product integration)
- 2) Personalization: RAD storage and VAD delivery processes
- 3) SCD initialization by the generation of SCD/SVD pair :
 - a. By the TOE through the SCD/SVD generation functionality.
 - b. By the CSP which loads the SCD to the TOE
- 4) export of SVD to CGA.

The IC contains in its FLASH the following applets:

The ID.me package composed of:

- a. ID.me SSCD providing the SSCD functionality (Service to be certified in this ST)

b. ID.me ID providing a general purpose file system

During this phase, creation of ID.me SSCD applet instance is mandatory. This phase may also include the following additional activities:

- loading additional applets into the IC FLASH,
- creating instances of additional applets.

These additional applets will be tested before loading and they verifiably will not interfere with the ID.me SSCD applet.

The instances of additional applets (ID.me ID...) are out of the scope of this certification and should not be used together with ID.me SSCD.

5.7.5 Operational phase (Phase 7 of the Platform life cycle)

In this lifecycle stage the signatory can use the TOE to create advanced electronic signatures.

The TOE operational use stage begins when the signatory has obtained both the VAD and the TOE. Enabling the TOE for signing requires at least one set of SCD stored in its memory.

The signatory can also interact with the SSCD to perform management tasks, e.g. reset a RAD value or use counter if the password/PIN in the reference data has been lost or blocked. Such management tasks require a secure environment.

The signatory can render an SCD in the TOE permanently unusable. Rendering the last SCD in the TOE permanently unusable ends the life of the TOE as SSCD.

The TOE supports functions to generate additional signing keys. If the TOE supports these functions it shall support further functions to securely obtain certificates for the new keys. For an additional key the signatory may be allowed to choose the kind of certificate (qualified, or not) to obtain for the SVD of the new key. The signatory may also be allowed to choose some of the data in the certificate request for instance to use a pseudonym instead of the legal name in the certificate. If the conditions to obtain a qualified certificate are met the new key can also be used to create advanced electronic signatures. The optional TOE functions for additional key generation and certification may require additional security functions in the TOE and an interaction with the SSCD-provisioning service provider in an environment that is secure.

The TOE life cycle as SSCD ends when all set of SCD stored in the TOE are destructed. This may include deletion of the corresponding certificates.

6 Security Problem Definition

6.1 Assets

D.SCD

Signature Creation Data

Private key used to perform an electronic signature operation. The confidentiality, integrity and signatory's sole control over the use of the SCD must be maintained.

D.SVD

Signature Verification Data

Public key linked to the SCD and used to perform electronic signature verification. The integrity of the SVD when it is exported must be maintained.

D.DTBS/R

Data to be signed or its unique Representation

set of data, or its representation, which the signatory intends to sign. Their integrity and the unforgeability of the link to the signatory provided by the electronic signature must be maintained.

6.2 Users / Subjects

6.2.1 Threat agents

S.Attacker

Human or process acting on their behalf located outside the TOE. The main goal of the attacker is to access the SCD or to falsify the electronic signature. The attacker has got a high attack potential and knows no secret.

6.2.2 Miscellaneous

S.User

End user of the TOE who can be identified as administrator or signatory. The subject S.User may act as S.Admin in the role R.Admin or as S.Sigy in the role R.Sigy.

S.Admin

User who is in charge to perform the TOE initialisation, TOE personalisation or other TOE administrative functions. The subject S.Admin is acting in the role R.Admin for this user after successful authentication as administrator.

S.Signatory

User who hold the TOE and use it on their own behalf or on behalf of the natural or legal person or entity they represent. The subject S.Sigy is acting in the role R.Sigy for this user after successful authentication as signatory.

6.3 Threats**T.SCD_Divulg****Storing, copying and releasing of the signature creation data**

An attacker stores or copies the SCD outside the TOE. An attacker can obtain the SCD during generation, storage and use for signature creation in the TOE.

T.SCD_Derive**Derive the signature creation data**

An attacker derives the SCD from publicly known data, such as SVD corresponding to the SCD or signatures created by means of the SCD or any other data exported outside the TOE, which is a threat against the secrecy of the SCD.

T.Hack_Phys**Physical attacks through the TOE interfaces**

An attacker interacts physically with the TOE to exploit vulnerabilities, resulting in arbitrary security compromises. This threat is directed against SCD, SVD and DTBS.

T.SVD_Forgery**Forgery of the signature verification data**

An attacker forges the SVD presented by the CSP to the CGA. This results in loss of SVD integrity in the certificate of the signatory.

T.SigF_Misuse**Misuse of the signature creation function of the TOE**

An attacker misuses the signature creation function of the TOE to create SDO for data the signatory has not decided to sign. The TOE is subject to deliberate attacks by experts possessing a high attack potential with advanced knowledge of security principles and concepts employed by the TOE.

T.DTBS_Forgery**Forgery of the DTBS/R**

An attacker modifies the DTBS/R sent by the SCA. Thus the DTBS/R used by the TOE for signing does not match the DTBS the signatory intended to sign.

T.Sig_Forgery**Forgery of the electronic signature**

An attacker forges a signed data object, maybe using an electronic signature which has been created by the TOE, and the violation of the integrity of the signed data object is not detectable by the signatory or by third parties. The signature created by the TOE is subject to deliberate attacks by experts possessing a high attack potential with advanced knowledge of security principles and concepts employed by the TOE.

6.4 Organisational Security Policies

P.CSP_QCert

Qualified certificate

The CSP uses a trustworthy CGA to generate a qualified certificate or non-qualified certificate (cf. the directive, article 2, clause 9, and Annex I) for the SVD generated by the SSCD. The certificates contain at least the name of the signatory and the SVD matching the SCD implemented in the TOE under sole control of the signatory. The CSP ensures that the use of the TOE as SSCD is evident with signatures through the certificate or other publicly available information.

P.QSign

Qualified electronic signatures

The signatory uses a signature creation system to sign data with an advanced electronic signature (cf. the directive, article 1, clause 2), which is a qualified electronic signature if it is based on a valid qualified certificate (according to the directive Annex I). The DTBS are presented to the signatory and sent by the SCA as DTBS/R to the SSCD. The SSCD creates the electronic signature created with a SCD implemented in the SSCD that the signatory maintain under their sole control and is linked to the DTBS/R in such a manner that any subsequent change of the data is detectable. Application Note: It is a non-qualified advanced electronic signature if it is based on a non-qualified certificate for the SVD.

P.Sigy_SSCD

TOE as secure signature creation device

The TOE meets the requirements for an SSCD laid down in Annex III of the directive [DIRECTIVE]. This implies the SCD is used for digital signature creation under sole control of the signatory and the SCD can practically occur only once.

P.Sig_Non-Repud

Non-repudiation of signatures

The lifecycle of the SSCD, the SCD and the SVD shall be implemented in a way that the signatory is not able to deny having signed data if the signature is successfully verified with the SVD contained in their unrevoked certificate.

6.5 Assumptions

A.CGA

Trustworthy certificate generation application

The CGA protects the authenticity of the signatory's name or pseudonym and the SVD in the (qualified) certificate by an advanced electronic signature of the CSP.

A.SCA

Trustworthy signature creation application

The signatory uses only a trustworthy SCA. The SCA generates and sends the DTBS/R of data the signatory wishes to sign in a form appropriate for signing by the TOE.

A.CSP

Secure SCD/SVD management by CSP

The CSP uses only a trustworthy SCD/SVD generation device and ensures that this device can be used by authorised user only. The CSP ensures that the SCD generated practically occurs only once, that generated SCD and SVD actually correspond to each other and that SCD cannot be derived from the SVD. The CSP ensures the confidentiality of the SCD during generation and export to the TOE, does not use the SCD for creation of any signature and irreversibly deletes the SCD in the operational environment after export to the TOE.

7 Security Objectives

7.1 Security Objectives for the TOE

7.1.1 OTs common to PP SSCD-KG and PP SSCD-KI

OT.Lifecycle_Security

Lifecycle security

The TOE shall detect flaws during the initialisation, personalisation and operational usage. The TOE shall securely destroy the SCD on demand of the signatory. Application Note: The TOE may contain more than one set of SCD. There is no need to destroy the SCD in case of repeated SCD generation. The signatory shall be able to destroy the SCD stored in the SSCD e.g. after the (qualified) certificate for the corresponding SVD has been expired.

OT.SCD_Secrecy

Secrecy of the signature-creation data

The secrecy of the SCD (used for signature creation) shall be reasonably assured against attacks with a high attack potential. Application Note: The TOE shall keep the confidentiality of the SCD at all times, in particular during SCD/SVD generation, signature creation operation, storage and secure destruction.

OT.Sig_Secure

Cryptographic security of the electronic signature

The TOE shall create digital signatures that cannot be forged without knowledge of the SCD through robust encryption techniques. The SCD shall not be reconstructable using the digital signatures or any other data exportable from the TOE. The digital signatures shall be resistant against these attacks, even when executed with a high attack potential.

OT.Sigy_SigF

Signature creation function for the legitimate signatory only

The TOE shall provide the digital signature creation function for the legitimate signatory only and protects the SCD against the use of others. The TOE shall resist attacks with high attack potential.

OT.DTBS_Integrity_TOE

DTBS/R integrity inside the TOE

The TOE must not alter the DTBS/R. As by definition of the DTBS/R this may consist of the DTBS themselves, this objective does not conflict with a signature creation process where the TOE hashes the provided DTBS (in part or entirely) for signature creation.

OT.Tamper_ID**Tamper detection**

The TOE shall provide system features that detect physical tampering of its components, and uses those features to limit security breaches.

OT.EMSEC_Design**Provide physical emanations security**

The TOE shall be designed and built in such a way as to control the production of intelligible emanations within specified limits.

OT.Tamper_Resistance**Tamper resistance**

The TOE shall prevent or resist physical tampering with specified system devices and components.

7.1.2 Specific OTs from PP SSCD-KG**OT.SCD/SVD_Auth_Gen****Authorized SCD/SVD generation**

The TOE shall provide security features to ensure that authorised users only may invoke the generation of the SCD and the SVD. Application Note: PoP code is used as proof or authorised user if user initiates key generation

OT.SCD_Unique**Uniqueness of the signature creation data**

The TOE shall ensure the cryptographic quality of an SCD/SVD pair it creates as suitable for the advanced or qualified electronic signature. The SCD used for signature creation shall practically occur only once and shall not be reconstructable from the SVD. In that context 'practically occur once' means that the probability of equal SCDs is negligible.

OT.SCD_SVD_Corresp**Correspondence between SVD and SCD**

The TOE shall ensure the correspondence between the SVD and the SCD generated by the TOE. This includes unambiguous reference of a created SVD/SCD pair for export of the SVD and in creating an electronic signature creation with the SCD.

7.1.3 Specific OTs from PP SSCD-KI**OT.SCD_Auth_Imp****Authorized SCD import**

The TOE shall provide security features to ensure that authorised users only may invoke the import of the SCD.

7.1.4 Additional OTs - Trusted Communication with CGA

OT.TOE_SSCD_Auth

Authentication proof as SSCD

The TOE shall hold unique identity and authentication data as SSCD and provide security mechanisms to identify and to authenticate themselves as SSCD.

OT.TOE_TC_SVD_Exp

TOE trusted channel for SVD export

The TOE shall provide a trusted channel to the CGA to protect the integrity of the SVD exported to the CGA. The TOE shall enable the CGA to detect alteration of the SVD exported by the TOE.

7.1.5 Additional OTs - Trusted Communication with SCA

OT.TOE_TC_DTBS_Imp

Trusted channel of TOE for DTBS import

The TOE shall provide a trusted channel to the SCA to detect alteration of the DTBS representation received from the SCA. The TOE must not generate digital signatures with the SCD for altered DTBS. Application Note: This security objective for the TOE is partly covering OE.DTBS_Protect from the PP [PP-SSCD2]. While OE.DTBS_Protect in the PP [PP-SSCD2] requires only the operational environment to protect DTBS, this ST requires the SCA and the TOE to implement a trusted channel for the protection of the DTBS: the SCA exports the DTBS and establishes one end of the trusted channel according to OE.SCA_TC_DTBS_Exp, the TOE imports DTBS at the other end of the trusted channel according to OT.TOE_TC_DTBS_Imp.

OT.TOE_TC_VAD_Imp

Trusted channel of TOE for VAD import

The TOE shall provide a trusted channel for the protection of the confidentiality and integrity of the VAD received from the HID as needed by the authentication method employed. Application Note: This security objective for the TOE is partly covering OE.HID_VAD from the PP [PP-SSCD2]. While OE.HID_VAD in the PP [PP-SSCD2] requires only the operational environment to protect VAD, this ST requires the HID and the TOE to implement a trusted channel for the protection of the VAD: the HID exports the VAD and establishes one end of the trusted channel according to OE.HID_TC_VAD_Exp, the TOE imports VAD at the other end of the trusted channel according to OT.TOE_TC_VAD_Imp.

7.2 Security Objectives for the Operational Environment

7.2.1 OEs common to PP SSCD-KG and PP SSCD-KI

OE.SVD_Auth

Authenticity of the SVD

The operational environment shall ensure the integrity of the SVD sent to the CGA of the CSP. The CGA verifies the correspondence between the SCD in the SSCD of the signatory and the SVD in the qualified certificate.

OE.CGA_QCert

Generation of qualified certificates

The CGA shall generate a qualified certificate that includes (amongst others)

- the name of the signatory controlling the TOE,
- the SVD matching the SCD stored in the TOE and being under sole control of the signatory,
- the advanced signature of the CSP. The CGA shall confirm with the generated qualified certificate that the SCD corresponding to the SVD is stored in a SSCD.

OE.DTBS_Intend

SCA sends data intended to be signed

The signatory shall use a trustworthy SCA that

- generates the DTBS/R of the data that has been presented as DTBS and which the signatory intends to sign in a form which is appropriate for signing by the TOE,
- sends the DTBS/R to the TOE and enables verification of the integrity of the DTBS/R by the TOE,
- attaches the signature produced by the TOE to the data or provides it separately.

Application Note:

The SCA should be able to support advanced electronic signatures. Currently, there exist three formats defined by ETSI recognized as meeting the requirements needed by advanced electronic signatures: CADES, XAdES and PAdES. These three formats mandate to include the hash of the signer's public key certificate in the data to be signed. In order to support for the mobility of the signer, it is recommended to store the certificate info on the SSCD for use by SCA and identification of the corresponding SCD if more than one SCD is stored on the SSCD.

OE.Signatory

Security obligation of the signatory

The signatory shall check that the SCD stored in the SSCD received from SSCD-provisioning service is in non-operational state. The signatory shall keep their VAD confidential.

7.2.2 Specific OEs from PP SSCD-KI

OE.SCD/SVD_Auth_Gen

Authorized SCD/SVD generation

The CSP shall provide security features to ensure that authorised users only may invoke the generation of the SCD and the SVD.

OE.SCD_Secrecy

SCD Secrecy

The CSP shall protect the confidentiality of the SCD during generation and export to the TOE. The CSP shall not use the SCD for creation of any signature and shall irreversibly delete the SCD in the operational environment after export to the TOE.

OE.SCD_Unique

Uniqueness of the signature creation data

The CSP shall ensure the cryptographic quality of the SCD/SVD pair, which is generated in the environment, for the qualified or advanced electronic signature. The SCD used for signature creation shall practically occur only once, i.e. the probability of equal SCDs shall be negligible, and the SCD shall not be reconstructable from the SVD.

OE.SCD_SVD_Corresp

Correspondence between SVD and SCD

The CSP shall ensure the correspondence between the SVD and the SCD generated by the CSP. This includes the correspondence between the SVD sent to the CGA and the SCD exported to the TOE of the signatory identified in the SVD certificate.

7.2.3 Additional OEs - Trusted Communication with CGA

OE.Dev_Prov_Service

Authentic SSCD provided by SSCD Provisioning Service

The SSCD Provisioning Service handles authentic devices that implement the TOE, prepares the TOE for proof as SSCD to external entities, personalises the TOE for the legitimate user as signatory, links the identity of the TOE as SSCD with the identity of the legitimate user, and delivers the TOE to the signatory. Note: This objective replaces OE.SSCD_Prov_Service from the core PP, which is possible as it does not imply any additional requirements for the operational environment when compared to OE.SSCD_Prov_Service (OE.Dev_Prov_Service is a subset of OE.SSCD_Prov_Service).

OE.CGA_SSCD_Auth

Preinitialisation of the TOE for SSCD authentication

The CSP shall check by means of the CGA whether the device presented for application of a (qualified) certificate holds unique identification as SSCD,

successfully proved this identity as SSCD to the CGA, and whether this identity is linked to the legitimate holder of the device as applicant for the certificate.

OE.CGA_TC_SVD_Imp

CGA trusted channel for SVD import

The CGA shall detect alteration of the SVD imported from the TOE. The CGA verifies the correspondence between the SCD in the SSCD of the signatory and the SVD in the certificate.

7.2.4 Additional OEs - Trusted Communication with SCA

OE.SCA_TC_DTBS_Exp

Trusted channel of SCA for DTBS export

The SCA provides a trusted channel to the TOE for the protection of the integrity of the DTBS to ensure that the DTBS-representation cannot be altered undetected in transit between the SCA and the TOE. Application Note: This security objective for the TOE is partly covering OE.DTBS_Protect from the PP [PP-SSCD2]. While OE.DTBS_Protect in the PP [PP-SSCD2] requires only the operational environment to protect DTBS, this ST requires the SCA and the TOE to implement a trusted channel for the protection of the DTBS: the SCA exports the DTBS and establishes one end of the trusted channel according to OE.SCA_TC_DTBS_Exp, the TOE imports DTBS at the other end of the trusted channel according to OT.TOE_TC_DTBS_Imp.

OE.HID_TC_VAD_Exp

Trusted channel of HID for VAD export

The HID provides the human interface for user authentication. The HID will ensure confidentiality and integrity of the VAD as needed by the authentication method employed including export to the TOE by means of a trusted channel. Application Note: This security objective for the TOE is partly covering OE.HID_VAD from the PP [PP-SSCD2]. While OE.HID_VAD in the PP [PP-SSCD2] requires only the operational environment to protect VAD, this ST requires the HID and the TOE to implement a trusted channel for the protection of the VAD: the HID exports the VAD and establishes one end of the trusted channel according to OE.HID_TC_VAD_Exp, the TOE imports VAD at the other end of the trusted channel according to OT.TOE_TC_VAD_Imp.

7.3 Security Objectives Rationale

7.3.1 Threats

T.SCD_Divulg addresses the threat against the legal validity of electronic signature due to storage and copying of SCD outside the TOE, as expressed in recital (18) of the directive. This threat is countered by

- OE.SCD_Secrecy, which assures the secrecy of the SCD in the CSP environment, and
- OT.SCD_Secrecy, which assures the secrecy of the SCD during use by the TOE for signature creation. Furthermore, generation and/or import of SCD known by an

attacker is countered by OE.SCD/SVD_Auth_Gen, which ensures that only authorized SCD generation in the environment is possible, and OT.SCD_Auth_Imp, which ensures that only authorised SCD import is possible.

T.SCD_Derive deals with attacks on the SCD via public known data produced by the TOE, which are the SVD and the signatures created with the SCD. OT.SCD/SVD_Auth_Gen and OE.SCD_Unique counter this threat by implementing cryptographically secure generation of the SCD/SVD pair. OT.Sig_Secure ensures cryptographically secure electronic signatures.

T.Hack_Phys deals with physical attacks exploiting physical vulnerabilities of the TOE. OT.SCD_Secrecy preserves the secrecy of the SCD. OT.EMSEC_Design counters physical attacks through the TOE interfaces and observation of TOE emanations. OT.Tamper_ID and OT.Tamper_Resistance counter the threat T.Hack_Phys by detecting and by resisting tampering attacks.

T.SVD_Forgery deals with the forgery of the SVD exported by the TOE to the CGA for the generation of the certificate. T.SVD_Forgery is addressed by OT.SCD_SVD_Corresp, which ensures correspondence between SVD and SCD and unambiguous reference of the SVD/SCD pair for the SVD export and signature creation with the SCD, and OE.SVD_Auth that ensures the integrity of the SVD exported by the TOE to the CGA and verification of the correspondence between the SCD in the SSCD of the signatory and the SVD in the input it provides to the certificate generation function of the CSP. Additionally T.SVD_Forgery is addressed by OT.TOE_TC_SVD_Exp, which ensures that the TOE sends the SVD in a verifiable form through a trusted channel to the CGA, as well as by OE.CGA_TC_SVD_Imp, which provides verification of SVD authenticity by the CGA.

T.SigF_Misuse addresses the threat of misuse of the TOE signature creation function to create SDO by others than the signatory to create an electronic signature on data for which the signatory has not expressed the intent to sign, as required by paragraph 1(c) of Annex III [DIRECTIVE]. OT.Lifecycle_Security (Lifecycle security) requires the TOE to detect flaws during the initialisation, personalisation and operational usage including secure destruction of the SCD, which may be initiated by the signatory. OT.Sigy_SigF (Signature creation function for the legitimate signatory only) ensures that the TOE provides the signature creation function for the legitimate signatory only. OE.DTBS_Intend (Data intended to be signed) ensures that the SCA sends the DTBS/R only for data the signatory intends to sign. The combination of OT.TOE_TC_DTBS_Imp (Trusted channel of TOE for DTBS) and OE.SCA_TC_DTBS_Exp (Trusted channel of SCA for DTBS) counters the undetected manipulation of the DTBS during the transmission from the SCA to the TOE. OT.DTBS_Integrity_TOE (DTBS/R integrity inside the TOE) prevents the DTBS/R from alteration inside the TOE. If the SCA provides a human interface for user authentication, OE.HID_TC_VAD_Exp (Trusted channel of HID for VAD) requires the HID to protect the confidentiality and the integrity of the VAD as needed by the authentication method employed. The HID and the TOE will protect the VAD

by a trusted channel between HID and TOE according to OE.HID_TC_VAD_Exp (Trusted channel of HID for VAD) and OT.TOE_TC_VAD_Imp (Trusted channel of TOE for VAD). OE.Signatory (Security obligation of the signatory) ensures that the signatory checks that an SCD stored in the SSCD when received from an SSCD-provisioning service provider is in non-operational state, i.e. the SCD cannot be used before the signatory becomes control over the SSCD. OE.Signatory (Security obligation of the signatory) ensures also that the signatory keeps their VAD confidential.

T.DTBS_Forgery addresses the threat arising from modifications of the DTBS/R sent to the TOE for signing which than does not correspond to the DTBS/R corresponding to the DTBS the signatory intends to sign. The threat T.DTBS_Forgery is addressed by the security objectives OT.TOE_TC_DTBS_Imp (Trusted channel of TOE for DTBS) and OE.SCA_TC_DTBS_Exp (Trusted channel of SCA for DTBS), which ensure that the DTBS/R is sent through a trusted channel and cannot be altered undetected in transit between the SCA and the TOE. The TOE counters internally this threat by the means of OT.DTBS_Integrity_TOE (DTBS/R integrity inside the TOE) ensuring the integrity of the DTBS/R inside the TOE. The TOE IT environment also addresses T.DTBS_Forgery by the means of OE.DTBS_Intend, which ensures that the trustworthy SCA generates the DTBS/R of the data that has been presented as DTBS and which the signatory intends to sign in a form appropriate for signing by the TOE.

T.Sig_Forgery deals with non-detectable forgery of the electronic signature. OT.Sig_Secure, OT.SCD_Unique and OE.CGA_QCert address this threat in general. OT.Sig_Secure (Cryptographic security of the electronic signature) ensures by means of robust cryptographic techniques that the signed data and the electronic signature are securely linked together. OT.SCD_Unique and ensures that the same SCD cannot be generated more than once and the corresponding SVD cannot be included in another certificate by chance. OE.CGA_QCert prevents forgery of the certificate for the corresponding SVD, which would result in false verification decision concerning a forged signature.

7.3.2 Organisational Security Policies

P.CSP_QCert provides that the TOE and the SCA may be employed to sign data with (qualified) electronic signatures, as defined by the directive [DIRECTIVE], article 5, paragraph 1. Directive [DIRECTIVE], recital (15) refers to SSCDs to ensure the functionality of advanced signatures. The OE.CGA_QCert addresses the requirement of qualified (or advanced) electronic signatures as being based on qualified (or non-qualified) certificates. According to OT.TOE_SSCD_Auth the copies of the TOE will hold unique identity and authentication data as SSCD and provide security mechanisms enabling the CGA to identify and to authenticate the TOE as SSCD to prove this identity as SSCD to the CGA. The OE.CGA_SSCD_Auth ensures that the SP checks the proof of the device presented of the applicant that it is a SSCD. The OT.SCD_SVD_Corresp ensures that the SVD exported by the TOE to the CGA corresponds to the SCD stored in the TOE and used by the signatory. The

OT.Lifecycle_Security ensures that the TOE detects flaws during the initialisation, personalisation and operational usage. The OE.SCD/SVD_Auth_Gen ensures that the SCD/SVD generation can be invoked by authorized users only. OT.SCD_Auth_Imp ensures that authorised users only may invoke the import of the SCD.

P.QSign provides that the TOE and the SCA may be employed to sign data with an advanced electronic signature, which is a qualified electronic signature if based on a valid qualified certificate. OT.Sigy_SigF ensures signatory's sole control of the SCD by requiring the TOE to provide the signature creation function for the legitimate signatory only and to protect the SCD against the use of others. OT.Sig_Secure ensures that the TOE creates electronic signatures, which cannot be forged without knowledge of the SCD through robust encryption techniques. OE.CGA_QCert addresses the requirement of qualified or non-qualified electronic certificates building a base for the electronic signature. OE.DTBS_Intend ensures that the SCA provides only those DTBS to the TOE, which the signatory intends to sign.

P.Sigy_SSCD requires the TOE to meet Annex III of the directive. The paragraph 1(a) of Annex III is ensured by OT.SCD_Unique and OE.SCD_Unique requiring that the SCD used for signature creation can practically occur only once. The OT.SCD_Secrecy, OE.SCD_Secrecy, OT.Sig_Secure and OT.EMSEC_Design and OT.Tamper_Resistance address the secrecy of the SCD (cf. paragraph 1(a) of Annex III). OT.SCD_Secrecy and OT.Sig_Secure meet the requirement in paragraph 1(b) of Annex III by the requirements to ensure that the SCD cannot be derived from SVD, the electronic signatures or any other data exported outside the TOE. OT.Sigy_SigF and OE.SCD_Secrecy meets the requirement in paragraph 1(c) of Annex III by the requirements to ensure that the TOE provides the signature creation function for the legitimate signatory only and protects the SCD against the use of others. OT.DTBS_Integrity_TOE meets the requirements in paragraph 2 of Annex III as the TOE must not alter the DTBS/R. The usage of SCD under sole control of the signatory is ensured by OT.Lifecycle_Security, OT.SCD/SVD_Auth_Gen, OE.SCD/SVD_Auth_Gen, OT.SCD_Auth_Imp, OE.SCD_Secrecy and OT.Sigy_SigF. OE.Dev_Prov_Service ensures that the legitimate user obtains a TOE sample as an authentic, initialised and personalised TOE from an SSCD Provisioning Service through the TOE delivery procedure. If the TOE implements SCD generated under control of the SSCD Provisioning Service the legitimate user receives the TOE as SSCD. If the TOE is delivered to the legitimate user without SCD In the operational phase he or she applies for the (qualified) certificate as the Device holder and legitimate user of the TOE. The CSP will use the TOE security feature (addressed by the security objectives OT.TOE_SSCD_Auth and OT.TOE_TC_SVD_Exp) to check whether the device presented is a SSCD linked to the applicant as required by OE.CGA_SSCD_Auth and the received SVD is sent by this SSCD as required by OE.CGA_TC_SVD_Imp. Thus the obligation of the SSCD provision service for the first SCD/SVD pair is complemented in an appropriate way by the CSP for the SCD/SVD pair generated outside the secure preparation environment.

P.Sig_Non-Repud deals with the repudiation of signed data by the signatory, although the electronic signature is successfully verified with the SVD contained in their certificate valid at the time of signature creation. This policy is implemented by the combination of the security objectives for the TOE and its operational environment, that ensure the aspects of signatory's sole control over and responsibility for the electronic signatures generated with the TOE. OE.Dev_Prov_Service ensures that the signatory uses an authentic TOE, initialised and personalised for the signatory. OE.CGA_QCert ensures that the certificate allows to identify the signatory and thus to link the SVD to the signatory. OE.SVD_Auth and OE.CGA_QCert require the environment to ensure authenticity of the SVD as being exported by the TOE and used under sole control of the signatory. OT.SCD_SVD_Corresp ensures that the SVD exported by the TOE corresponds to the SCD that is stored in the TOE. OT.SCD_Unique provides that the signatory's SCD can practically occur just once. OE.Signatory ensures that the signatory checks that the SCD, stored in the SSCD received from an SSCD provisioning service is in non-operational state (i.e. the SCD cannot be used before the signatory becomes into sole control over the SSCD). The TOE security feature addressed by the security objectives OT.TOE_SSCD_Auth and OT.TOE_TC_SVD_Exp supported by OE.Dev_Prov_Service enables the verification whether the device presented by the applicant is a SSCD as required by OE.CGA_SSCD_Auth and the received SVD is sent by the device holding the corresponding SCD as required by OE.CGA_TC_SVD_Imp. OT.Sigy_SigF provides that only the signatory may use the TOE for signature creation. As prerequisite OE.Signatory ensures that the signatory keeps their VAD confidential. The confidentiality of VAD is protected during the transmission between the HI device and TOE according to OE.HID_TC_VAD_Exp (Trusted channel of HID for VAD) and OT.TOE_TC_VAD_Imp (Trusted channel of TOE for VAD). OE.DTBS_Intend, OT.DTBS_Integrity_TOE, OE.SCA_TC_DTBS_Exp and OT.TOE_TC_DTBS_Imp ensure that the TOE generates electronic signatures only for a DTBS/R that the signatory has decided to sign as DTBS. The robust cryptographic techniques required by OT.Sig_Secure ensure that only this SCD may generate a valid electronic signature that can be successfully verified with the corresponding SVD used for signature verification. The security objective for the TOE OT.Lifecycle_Security (Lifecycle security), OT.SCD_Secrecy (Secrecy of the signature creation data), OT.EMSEC_Design (Provide physical emanations security), OT.Tamper_ID (Tamper detection) and OT.Tamper_Resistance (Tamper resistance) protect the SCD against any compromise.

7.3.3 Assumptions

A.CGA establishes the protection of the authenticity of the signatory's name and the SVD in the qualified certificate by the advanced signature of the CSP by means of the CGA. This is addressed by OE.CGA_QCert (Generation of qualified certificates), which ensures the generation of qualified certificates, and by OE.SVD_Auth (Authenticity of the SVD), which ensures the protection of the integrity of the received SVD and the verification of the correspondence

Security target LITE ID.me 1.28 on IdealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 64/121
--	--

between the SVD and the SCD that is implemented by the SSCD of the signatory.

A.SCA establishes the trustworthiness of the SCA with respect to generation of DTBS/R. This is addressed by OE.DTBS_Intend (Data intended to be signed) which ensures that the SCA generates the DTBS/R of the data that have been presented to the signatory as DTBS and which the signatory intends to sign in a form which is appropriate for being signed by the TOE.

A.CSP A.CSP (Secure SCD/SVD management by CSP) establishes several security aspects concerning handling of SCD and SVD by the CSP. That the SCD/SVD generation device can only be used by authorized users is addressed by OE.SCD/SVD_Auth_Gen (Authorized SCD/SVD Generation), that the generated SCD is unique and cannot be derived by the SVD is addressed by OE.SCD_Unique (Uniqueness of the signature creation data), that SCD and SVD correspond to each other is addressed by OE.SCD_SVD_Corresp (Correspondence between SVD and SCD), and that the SCD are kept confidential, are not used for signature generation in the environment and are deleted in the environment once exported to the TOE is addressed by OE.SCD_Secrecy (SCD Secrecy).

7.3.4 SPD and Security Objectives

Threats	Security Objectives	Rationale
T.SCD_Divulg	OT.SCD_Secrecy , OT.SCD_Auth_Imp , OE.SCD/SVD_Auth_Gen , OE.SCD_Secrecy	Section 7.3.1
T.SCD_Derive	OT.SCD/SVD_Auth_Gen , OT.Sig_Secure , OE.SCD_Unique	Section 7.3.1
T.Hack_Phys	OT.SCD_Secrecy , OT.EMSEC_Design , OT.Tamper_ID , OT.Tamper_Resistance	Section 7.3.1
T.SVD_Forgery	OT.SCD_SVD_Corresp , OE.SVD_Auth , OT.TOE_TC_SVD_Exp , OE.CGA_TC_SVD_Imp	Section 7.3.1
T.SigF_Misuse	OT.Lifecycle_Security , OT.Sigy_SigF , OE.DTBS_Intend , OT.TOE_TC_DTBS_Imp , OE.SCA_TC_DTBS_Exp , OT.DTBS_Integrity_TOE , OE.HID_TC_VAD_Exp , OT.TOE_TC_VAD_Imp , OE.Signatory	Section 7.3.1
T.DTBS_Forgery	OT.TOE_TC_DTBS_Imp , OE.SCA_TC_DTBS_Exp , OT.DTBS_Integrity_TOE , OE.DTBS_Intend	Section 7.3.1
T.Sig_Forgery	OT.Sig_Secure , OT.SCD_Unique , OE.CGA_QCert	Section 7.3.1

Table 4 Threats and Security Objectives - Coverage

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **65/121**

Security Objectives	Threats
OT.Lifecycle Security	T.SigF Misuse
OT.SCD Secrecy	T.SCD Divulg , T.Hack Phys
OT.Sig Secure	T.SCD Derive , T.Sig Forgery
OT.Sigy SigF	T.SigF Misuse
OT.DTBS Integrity TOE	T.SigF Misuse , T.DTBS Forgery
OT.Tamper ID	T.Hack Phys
OT.EMSEC Design	T.Hack Phys
OT.Tamper Resistance	T.Hack Phys
OT.SCD/SVD Auth Gen	T.SCD Derive
OT.SCD Unique	T.Sig Forgery
OT.SCD SVD Corresp	T.SVD Forgery
OT.SCD Auth Imp	T.SCD Divulg
OT.TOE SSCD Auth	
OT.TOE TC SVD Exp	T.SVD Forgery
OT.TOE TC DTBS Imp	T.SigF Misuse , T.DTBS Forgery
OT.TOE TC VAD Imp	T.SigF Misuse
OE.SVD Auth	T.SVD Forgery
OE.CGA QCert	T.Sig Forgery
OE.DTBS Intend	T.SigF Misuse , T.DTBS Forgery
OE.Signatory	T.SigF Misuse
OE.SCD/SVD Auth Gen	T.SCD Divulg
OE.SCD Secrecy	T.SCD Divulg
OE.SCD Unique	T.SCD Derive
OE.SCD SVD Corresp	
OE.Dev Prov Service	
OE.CGA SSCD Auth	
OE.CGA TC SVD Imp	T.SVD Forgery
OE.SCA TC DTBS Exp	T.SigF Misuse , T.DTBS Forgery
OE.HID TC VAD Exp	T.SigF Misuse

Table 5 Security Objectives and Threats - Coverage

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **66/121**

Organisational Security Policies	Security Objectives	Rationale
P.CSP_QCert	OE.CGA_QCert , OT.TOE_SSCD_Auth , OE.CGA_SSCD_Auth , OT.SCD_SVD_Corresp , OT.Lifecycle_Security , OT.SCD_Auth_Imp , OE.SCD/SVD_Auth_Gen	Section 7.3.2
P.QSign	OT.Sigy_SigF , OT.Sig_Secure , OE.CGA_QCert , OE.DTBS_Intend	Section 7.3.2
P.Sigy_SSCD	OT.SCD_Unique , OT.SCD_Secrecy , OT.Sig_Secure , OT.EMSEC_Design , OT.Tamper_Resistance , OT.Sigy_SigF , OT.DTBS_Integrity_TOE , OT.Lifecycle_Security , OT.SCD/SVD_Auth_Gen , OT.TOE_SSCD_Auth , OT.TOE_TC_SVD_Exp , OE.CGA_SSCD_Auth , OE.CGA_TC_SVD_Imp , OT.SCD_Auth_Imp , OE.Dev_Prov_Service , OE.SCD_Unique , OE.SCD_Secrecy , OE.SCD/SVD_Auth_Gen	Section 7.3.2
P.Sig_Non-Repud	OE.CGA_QCert , OE.SVD_Auth , OT.SCD_SVD_Corresp , OT.SCD_Unique , OE.Signatory , OT.TOE_SSCD_Auth , OT.TOE_TC_SVD_Exp , OE.CGA_SSCD_Auth , OE.CGA_TC_SVD_Imp , OT.Sigy_SigF , OE.HID_TC_VAD_Exp , OT.TOE_TC_VAD_Imp , OE.DTBS_Intend , OT.DTBS_Integrity_TOE , OE.SCA_TC_DTBS_Exp , OT.TOE_TC_DTBS_Imp , OT.Sig_Secure , OT.Lifecycle_Security , OT.SCD_Secrecy , OT.EMSEC_Design , OT.Tamper_ID , OT.Tamper_Resistance , OE.Dev_Prov_Service	Section 7.3.2

Table 6 OSPs and Security Objectives - Coverage

Security Objectives	Organisational Security Policies
OT.Lifecycle Security	P.CSP_QCert , P.Sigy_SSCD , P.Sig_Non-Repud
OT.SCD Secrecy	P.Sigy_SSCD , P.Sig_Non-Repud
OT.Sig Secure	P.QSign , P.Sigy_SSCD , P.Sig_Non-Repud
OT.Sigy SigF	P.QSign , P.Sigy_SSCD , P.Sig_Non-Repud
OT.DTBS Integrity TOE	P.Sigy_SSCD , P.Sig_Non-Repud
OT.Tamper ID	P.Sig_Non-Repud
OT.EMSEC Design	P.Sigy_SSCD , P.Sig_Non-Repud
OT.Tamper Resistance	P.Sigy_SSCD , P.Sig_Non-Repud
OT.SCD/SVD Auth Gen	P.Sigy_SSCD
OT.SCD Unique	P.Sigy_SSCD , P.Sig_Non-Repud
OT.SCD SVD Corresp	P.CSP_QCert , P.Sig_Non-Repud
OT.SCD Auth Imp	P.CSP_QCert , P.Sigy_SSCD
OT.TOE SSCD Auth	P.CSP_QCert , P.Sigy_SSCD , P.Sig_Non-Repud
OT.TOE TC SVD Exp	P.Sigy_SSCD , P.Sig_Non-Repud
OT.TOE TC DTBS Imp	P.Sig_Non-Repud
OT.TOE TC VAD Imp	P.Sig_Non-Repud
OE.SVD Auth	P.Sig_Non-Repud
OE.CGA_QCert	P.CSP_QCert , P.QSign , P.Sig_Non-Repud
OE.DTBS Intend	P.QSign , P.Sig_Non-Repud
OE.Signatory	P.Sig_Non-Repud
OE.SCD/SVD Auth Gen	P.CSP_QCert , P.Sigy_SSCD
OE.SCD Secrecy	P.Sigy_SSCD
OE.SCD Unique	P.Sigy_SSCD
OE.SCD SVD Corresp	
OE.Dev Prov Service	P.Sigy_SSCD , P.Sig_Non-Repud
OE.CGA SSCD Auth	P.CSP_QCert , P.Sigy_SSCD , P.Sig_Non-Repud
OE.CGA TC SVD Imp	P.Sigy_SSCD , P.Sig_Non-Repud
OE.SCA TC DTBS Exp	P.Sig_Non-Repud
OE.HID TC VAD Exp	P.Sig_Non-Repud

Table 7 Security Objectives and OSPs - Coverage

Security target LITE ID.me 1.28 on IDEalCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 68/121
--	--

Assumptions	Security Objectives for the Operational Environment	Rationale
A.CGA	OE.CGA_QCert , OE.SVD_Auth	Section 7.3.3
A.SCA	OE.DTBS_Intend	Section 7.3.3
A.CSP	OE.SCD/SVD_Auth_Gen , OE.SCD_Secrecy , OE.SCD_Unique , OE.SCD_SVD_Corresp	Section 7.3.3

Table 8 Assumptions and Security Objectives for the Operational Environment - Coverage

Security Objectives for the Operational Environment	Assumptions
OE.SVD_Auth	A.CGA
OE.CGA_QCert	A.CGA
OE.DTBS_Intend	A.SCA
OE.Signatory	
OE.SCD/SVD_Auth_Gen	A.CSP
OE.SCD_Secrecy	A.CSP
OE.SCD_Unique	A.CSP
OE.SCD_SVD_Corresp	A.CSP
OE.Dev_Prov_Service	
OE.CGA_SSCD_Auth	
OE.CGA_TC_SVD_Imp	
OE.SCA_TC_DTBS_Exp	
OE.HID_TC_VAD_Exp	

Table 9 Security Objectives for the Operational Environment and Assumptions - Coverage

8 Extended Requirements

8.1 Extended Families

8.1.1 Extended Family FPT_EMS - TOE Emanation

The additional family FPT_EMS (TOE Emanation) of the Class FPT (Protection of the TSF) is defined here to describe the IT security functional requirements of the TOE. The TOE shall prevent attacks against the SCD and other secret data where the attack is based on external observable physical phenomena of the TOE. Examples of such attacks are evaluation of TOE's electromagnetic radiation, simple power analysis (SPA), differential power analysis (DPA), timing attacks, radio emanation etc. This family describes the functional requirements for the limitation of intelligible emanations. The family FPT_EMS belongs to the Class FPT because it is the class for TSF protection. Other families within the Class FPT do not cover the TOE emanation.

Family behaviour:

This family defines requirements to mitigate intelligible emanations.

Component levelling:



FPT_EMS.1 TOE Emanation has two constituents:

- FPT_EMS.1.1 Limit of Emissions requires to not emit intelligible emissions enabling access to TSF data or user data.
- FPT_EMS.1.2 Interface Emanation requires to not emit interface emanation enabling access to TSF data or user data.

Management:

There are no management activities foreseen.

Audit:

There are no actions identified that shall be auditable if FAU_GEN(Security audit data generation) is included in a PP or ST using FPT_EMS.1.

Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 70/121
--	--

Definition:**FPT_EMS.1 TOE Emanation**

FPT_EMS.1.1 The TOE shall not emit [assignment: types of emissions] in excess of [assignment: specified limits] enabling access to [assignment: list of types of TSF data] and [assignment: list of types of user data].

FPT_EMS.1.2 The TSF shall ensure [assignment: type of users] are unable to use the following interface [assignment: type of connection] to gain access to [assignment: list of types of TSF data] and [assignment: list of types of user data].

Dependencies: No dependencies.

8.1.2 Extended Family FIA_API - Authentication Proof of Identity

To describe the IT security functional requirements of the TOE a sensitive family (FIA_API) of the Class FIA (Identification and authentication) is defined here. This family describes the functional requirements for the proof of the claimed identity for the authentication verification by an external entity where the other families of the class FIA address the verification of the identity of an external entity.

Family behaviour:

This family defines functions provided by the TOE to prove their identity and to be verified by an external entity in the TOE IT environment.

Component levelling:

FIA_API Authentication Proof of Identity	—	1
---	---	----------

FIA_API.1 Authentication Proof of Identity

Management:

The following actions could be considered for the management functions in FMT:
Management of authentication information used to prove the claimed identity.

Audit:

There are no actions defined to be auditable.

Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 71/121
--	--

Definition :**FIA_API.1 Authentication Proof of Identity**

FIA_API.1.1 The TSF shall provide a [assignment: authentication mechanism] to prove the identity of the [assignment: authorized user or role].

Dependencies: No dependencies.

8.1.3 Extended Family FCS_RND - Quality Metric for Random Numbers

To define the IT security functional requirements of the TOE an additional family (FCS_RND) of the Class FCS (cryptographic support) is defined here. This family describes the functional requirements for random number generation used for cryptographic purposes.

Family behaviour:

This family defines quality requirements for the generation of random numbers which are intended to be used for cryptographic purposes.

Component levelling:

FCS_RND Generation of random numbers	—	1
---	---	----------

FCS_RND.1 Generation of random numbers requires that random numbers meet a defined quality metric.

Management:

There are no management activities foreseen

Audit:

There are no actions defined to be auditable.

Definition:**FCS_RND.1 Quality Metric for Random Numbers**

FCS_RND.1.1 The TSF shall provide a mechanism to generate random numbers that meet [assignment: a defined quality metric].

Dependencies: No dependencies.

9 Security Requirements

9.1 Security Functional Requirements

This section describes the requirements imposed on the TOE in order to achieve the security objectives laid down in the previous chapter.

9.1.1 Cryptographic support (FCS)

FCS_CKM.1 Cryptographic key generation

FCS_CKM.1.1 [Editorially Refined] The TSF shall generate **SCD/SVD** pair in accordance with a specified cryptographic key generation algorithm **[cryptographic key generation algorithm]** and specified cryptographic key sizes **[cryptographic key sizes]** that meet the following: **[list of standards]**.

The assignments of the cryptographic operations are described in the table below:

cryptographic key generation algorithm	cryptographic key sizes	list of standards
EC key pair generation	192,224,256, 320,384, 512 and 521 bits	ANS X9.62
RSA CRT key pair generation	1024, 1536, 2048, 2560 and 3072 bits	RSA PKCS1 v2.1

Refinement:

substitution of cryptographic keys by SCD/SVD pairs.

FCS_CKM.4 Cryptographic key destruction

FCS_CKM.4.1 The TSF shall destroy cryptographic keys in accordance with a specified cryptographic key destruction method **Key overwriting** that meets the following: **the method of the underlying platform**.

Application Note:

The destruction method is provided by the underlying platform. The cryptographic key SCD will be destroyed on demand of the Signatory or Administrator. The destruction of the SCD is mandatory before the SCD/SVD pair is re-generated by the TOE.

Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1

Ref.: 2016_2000022481

Page: 73/121

FCS_COP.1 Cryptographic operation

FCS_COP.1.1 [Editorially Refined] The TSF shall perform **[cryptographic operations]** in accordance with a specified cryptographic algorithm **[cryptographic algorithm]** and cryptographic key sizes **[key sizes]** that meet the following: **[Norms]**.

Refinement:

The assignments of the cryptographic operations are described in the table below:

**Security target LITE ID.me 1.28 on
IdealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **74/121**

Cryptographic operation	Algorithms	Key size	Norms
Digital signature computation	RSA PKCS#1v1.5, RSA-PSS PKCS#1 v2.1, with SHA-1 SHA-224 SHA- 256 SHA-384 or SHA-512	1024, 1536, 2048, 2560, and 3072 bits	RSA PKCS1 v2.1
Digital signature computation	ECDSA with SHA-1 SHA- 224 SHA-256 SHA-384 or SHA-512	256, 384, 512, 521 bits	Signature Creation: ANSI_X9.62- 2005, Public key cryptography for the financial services Industry: The elliptic curve digital signature algorithm (ECDSA), ANSI, 2005- 11-16, section 7.3
Digital signature verification	RSA, with SHA-1 SHA- 224 SHA-256 SHA-384 or SHA-512	1024, 1536 and 2048	ISO 9796-2
Digital signature computation	RSA, with SHA-1 SHA- 224 SHA-256 SHA-384 or SHA-512	1024, 1536 and 2048	ISO 9796-2
Key agreement	ECDH	192,224,256,320,384,512 and 521	419212-1
Symmetric Mutual authentication for secure messaging	3DES with SHA-1, SHA- 256	128 bits	Addendum IAS-ECC v1.0.1
Symmetric Mutual authentication for secure messaging	AES with SHA- 256	128, 192, 256 bits	Addendum IAS-ECC v1.0.1
PACE Authentication	PACE IM and	192,224,256, 320,384,	ICAO

**Security target LITE ID.me 1.28 on
IdealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

 Page: **75/121**

	GM with DH, ECDH, DES, AES	512, 521 bits AES: 128 192 256, DES:128	Technical Report- Supplemental Access Control for Machine Readable Travel Documents Release: 1.01 November 2010
Symmetric Role Authentication	3DES CBC EDE 128 bits (encipherment) + Retail MAC or AES CBC 128 bits (encipherment) + C-MAC	128 bits	Addendum IAS-ECC v1.0.1
Secure messaging - Encryption/decryption	3DES in CBC mode or AES in CBC mode	3DES: 128 bits, AES::128, 192, 256 bits	Addendum IAS-ECC v1.0.1
secure messaging - MAC generation and verification	ISO/IEC 9797- 1 algorithm 3 padding 2 (3DES) or CMAC (AES)	3DES: 128 bits, AES::128, 192, 256 bits	DES: ISO9797 - AES: NIST SP 800-38B
Hash calculation within the digital signature sequence	SHA-1, SHA- 224, SHA-256, SHA-384, SHA- 512	none	NIST FIPS PUB 180-2
Ciphering key encryption	RSA PKCS#1v1.5	1024, 1536, 2048, 2560, and 3072 bits	RSA PKCS1 v2.1
Ciphering key decryption	RSA-OAEP, PKCS#1 v2.1, RSA PKCS#1v1.5	1024, 1536, 2048, 2560, and 3072 bits	RSA PKCS1 v2.1
Random number generation	ANSI X9.31	none	NIST- Recommended Random Number Generator Based on ANSI X9.31

Application Note:

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **76/121**

The operations in the element FCS_COP.1.1 shall be appropriate for the SCD/SVD pairs generated according to FCS_CKM.1. Note that for some cryptographic algorithm like RSA padding is important part of the signature creation algorithm.

FCS_RND.1 Quality Metric for Random Numbers

FCS_RND.1.1 The TSF shall provide a mechanism to generate random numbers that meet **AIS31 Class P2 quality metric**.

Application Note:

Application Note: This SFR was added to the standard set of SFRs to address the requirements of the PACE protocol. The random number generation is provided by the underlying platform.

9.1.2 User data protection (FDP)

The security attributes and related status for the subjects and objects are:

Subject or object the security attribute is associated with	Security attribute type	Value of the security attribute
S.User	Role	R.Admin, R.Sigy
S.User	SCD/SVD Management	authorised, not authorised
SCD	SCD Operational	no, yes
SCD	SCD identifier	arbitrary value

FDP_ACC.1/SCD/SVD_Generation Subset access control

FDP_ACC.1.1/SCD/SVD_Generation The TSF shall enforce the **SCD/SVD Generation SFP** on

subjects: S.User,

objects: SCD, SVD,

operations: generation of SCD/SVD pair.

Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1

Ref.: 2016_2000022481
Page: 77/121

FDP_ACF.1/SCD/SVD_Generation Security attribute based access control

FDP_ACF.1.1/SCD/SVD_Generation The TSF shall enforce the **SCD/SVD Generation SFP** to objects based on the following: **the user S.User is associated with the security attribute "SCD/SVD Management"**.

FDP_ACF.1.2/SCD/SVD_Generation The TSF shall enforce the following rules to determine if an operation among controlled subjects and controlled objects is allowed: **S.User with the security attribute "SCD/SVD Management" set to "authorised" is allowed to generate SCD/SVD pair.**

FDP_ACF.1.3/SCD/SVD_Generation The TSF shall explicitly authorise access of subjects to objects based on the following additional rules: **none.**

FDP_ACF.1.4/SCD/SVD_Generation The TSF shall explicitly deny access of subjects to objects based on the following additional rules: **S.User with the security attribute "SCD/SVD management" set to "not authorised" is not allowed to generate SCD/SVD pair.**

FDP_ACC.1/SVD_Transfer Subset access control

FDP_ACC.1.1/SVD_Transfer The TSF shall enforce the **SVD Transfer SFP** on
subjects: S.User,
objects: SVD,
operations: export.

Application Note:

When SCD is generated in the TOE, FDP_ACC.1/SVD Transfer SFP will be required to export the SVD to the CGA for certification.

FDP_ACF.1/SVD_Transfer Security attribute based access control

FDP_ACF.1.1/SVD_Transfer The TSF shall enforce the **SVD Transfer SFP** to objects based on the following:
the S.User is associated with the security attribute Role,
the SVD.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **78/121**

FDP_ACF.1.2/SVD_Transfer The TSF shall enforce the following rules to determine if an operation among controlled subjects and controlled objects is allowed: **R.Admin and R.Sigy are allowed to export SVD.**

FDP_ACF.1.3/SVD_Transfer The TSF shall explicitly authorise access of subjects to objects based on the following additional rules: **none.**

FDP_ACF.1.4/SVD_Transfer The TSF shall explicitly deny access of subjects to objects based on the following additional rules: **none.**

FDP_ACC.1/Signature_Creation Subset access control

FDP_ACC.1.1/Signature_Creation The TSF shall enforce the **Signature Creation SFP** on **Sending of DTBS/R by SCA and Signing of DTBS/R by Signatory:**

subjects: S.User,
objects: DTBS/R, SCD,
operations: signature creation.

FDP_ACF.1/Signature_Creation Security attribute based access control

FDP_ACF.1.1/Signature_Creation The TSF shall enforce the **Signature Creation SFP** to objects based on the following:

**the user S.User is associated with the security attribute "Role" and
the SCD with the security attribute "SCD Operational".**

FDP_ACF.1.2/Signature_Creation The TSF shall enforce the following rules to determine if an operation among controlled subjects and controlled objects is allowed: **R.Sigy is allowed to create electronic signatures for DTBS/R with SCD which security attribute "SCD operational" is set to "yes".**

FDP_ACF.1.3/Signature_Creation The TSF shall explicitly authorise access of subjects to objects based on the following additional rules: **none.**

FDP_ACF.1.4/Signature_Creation The TSF shall explicitly deny access of subjects to objects based on the following additional rules: **S.User is not allowed to create electronic signatures for DTBS/R with SCD which security attribute "SCD operational" is set to "no".**

FDP_RIP.1 Subset residual information protection

FDP_RIP.1.1 The TSF shall ensure that any previous information content of a resource is made unavailable upon the **deallocation of the resource from** the following objects: **SCD**.

FDP_SDI.2/Persistent Stored data integrity monitoring and action

FDP_SDI.2.1/Persistent The TSF shall monitor user data stored in containers controlled by the TSF for **integrity error** on all objects, based on the following attributes: **integrity checked stored data**.

FDP_SDI.2.2/Persistent Upon detection of a data integrity error, the TSF shall **prohibit the use of the altered data**
inform the S.Sigy about integrity error.

Application Note:

The following data persistently stored by TOE have the user data attribute "integrity checked persistent stored data":

- SCD,
- SVD (if persistent stored by TOE).

The DTBS/R temporarily stored by the TOE has the user data attribute "integrity checked stored data".

FDP_SDI.2/DTBS Stored data integrity monitoring and action

FDP_SDI.2.1/DTBS The TSF shall monitor user data stored in containers controlled by the TSF for **integrity error** on all objects, based on the following attributes: **integrity checked stored DTBS**.

FDP_SDI.2.2/DTBS Upon detection of a data integrity error, the TSF shall **prohibit the use of the altered data**
inform the S.Sigy about integrity error.

Application Note:

The integrity of TSF data like RAD shall be protected to ensure the effectiveness of the user authentication. This protection is a specific aspect of the security architecture (cf. ADV_ARC.1).

Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1

Ref.: 2016_2000022481
Page: 80/121

FDP_ACC.1/SCD_Import Subset access control

FDP_ACC.1.1/SCD_Import The TSF shall enforce the **SCD Import SFP** on
subjects: S.User,
objects: SCD,
operations: import of SCD.

FDP_ACF.1/SCD_Import Security attribute based access control

FDP_ACF.1.1/SCD_Import The TSF shall enforce the **SCD Import SFP** to
objects based on the following: **the S.User is associated with the security
attribute "SCD/SVD Management".**

FDP_ACF.1.2/SCD_Import The TSF shall enforce the following rules to
determine if an operation among controlled subjects and controlled objects is
allowed: **S.User with the security attribute "SCD/SVD Management" set
to "authorised" is allowed to import SCD.**

FDP_ACF.1.3/SCD_Import The TSF shall explicitly authorise access of subjects
to objects based on the following additional rules: **none.**

FDP_ACF.1.4/SCD_Import The TSF shall explicitly deny access of subjects to
objects based on the following additional rules: **S.User with the security
attribute "SCD/SVD management" set to "not authorised" is not
allowed to import SCD.**

FDP_ITC.1/SCD Import of user data without security attributes

FDP_ITC.1.1/SCD The TSF shall enforce the **SCD Import SFP** when importing
user data, controlled under the SFP, from outside of the TOE.

FDP_ITC.1.2/SCD [Editorially Refined] The TSF shall ignore any security
attributes associated with the **SCD** when imported from outside the TOE.

FDP_ITC.1.3/SCD The TSF shall enforce the following rules when importing
user data controlled under the SFP from outside the TOE: **none.**

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **81/121**

FDP_UCT.1/SCD Basic data exchange confidentiality

FDP_UCT.1.1/SCD [Editorially Refined] The TSF shall enforce the **SCD Import SFP to receive SCD** in a manner protected from unauthorised disclosure.

FDP_DAU.2/SVD Data Authentication with Identity of Guarantor

FDP_DAU.2.1/SVD The TSF shall provide a capability to generate evidence that can be used as a guarantee of the validity of **SVD**.

FDP_DAU.2.2/SVD The TSF shall provide **CGA** with the ability to verify evidence of the validity of the indicated information and the identity of the user that generated the evidence.

FDP_UIT.1/DTBS Data exchange integrity

FDP_UIT.1.1/DTBS The TSF shall enforce the **signature creation SFP to receive** user data in a manner protected from **modification and insertion** errors.

FDP_UIT.1.2/DTBS The TSF shall be able to determine on receipt of user data, whether **modification and insertion** has occurred.

9.1.3 Identification and authentication (FIA)

FIA_UID.1 Timing of identification

FIA_UID.1.1 The TSF shall allow

Self-test according to FPT_TST.1,

Identification of the user by means of TSF required by FIA_UID.1,

establishing a trusted channel between CGA and the TOE by means of TSF required by FTP_ITC.1/SVD (additional requirement allowed by [PP-SSCD2] and [PP-SSCD5]),

establishing a trusted channel between SCA and the TOE by means of TSF required by FTP_ITC.1/DTBS ([PP-SSCD5]),

establishing a trusted channel between the HID and the TOE by means of TSF required by FTP_ITC.1/VAD ([PP-SSCD5]),

none

on behalf of the user to be performed before the user is identified.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **82/121**

FIA_UID.1.2 The TSF shall require each user to be successfully identified before allowing any other TSF-mediated actions on behalf of that user.

FIA_UAU.1 Timing of authentication

FIA_UAU.1.1 The TSF shall allow

Self-test according to FPT_TST.1,

Identification of the user by means of TSF required by FIA_UID.1,

establishing a trusted channel between CGA and the TOE by means of TSF required by FTP_ITC.1/SVD (additional requirement allowed by [PP-SSCD2] and [PP-SSCD5]),

establishing a trusted channel between SCA and the TOE by means of TSF required by FTP_ITC.1/DTBS ([PP-SSCD5]),

establishing a trusted channel between the HID and the TOE by means of TSF required by FTP_ITC.1/VAD ([PP-SSCD5]),

none

on behalf of the user to be performed before the user is authenticated.

FIA_UAU.1.2 The TSF shall require each user to be successfully authenticated before allowing any other TSF-mediated actions on behalf of that user.

FIA_AFL.1 Authentication failure handling

FIA_AFL.1.1 The TSF shall detect when **an administrator configurable positive integer within 1 byte [0 - 255]**

unsuccessful authentication attempts occur related to **consecutive failed authentication attempts**.

FIA_AFL.1.2 When the defined number of unsuccessful authentication attempts has been **met**, the TSF shall **Block RAD**.

Application Note:

The administrator configurable positive integer shall be defined during the personalization phase.

FIA_API.1 Authentication Proof of Identity

FIA_API.1.1 The TSF shall provide a

3DES Symmetric Mutual Authentication Authentication according to Addendum IAS-ECC v1.0.1

Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1

Ref.: 2016_2000022481
Page: 83/121

AES Symmetric Mutual Authentication Authentication according to Addendum IAS-ECC v1.0.1

PACE Authentication according to [ICAO]

3DES Symmetric Role Authentication according to Addendum IAS-ECC v1.0.1

AES Symmetric Role Authentication according to Addendum IAS-ECC v1.0.1

RSA Digital Signature computation according to RSA PKCS1 v2.1

ECDSA Digital Signature computation according to Signature Creation: ANSI_X9.62-2005, Public key cryptography for the financial services Industry: The elliptic curve digital signature algorithm (ECDSA), ANSI, 2005-11-16, section 7.3

to prove the identity of the **SSCD**.

9.1.4 Security management (FMT)

FMT_SMR.1 Security roles

FMT_SMR.1.1 The TSF shall maintain the roles **R.Admin and R.Sigy**.

FMT_SMR.1.2 The TSF shall be able to associate users with roles.

FMT_SMF.1 Specification of Management Functions

FMT_SMF.1.1 The TSF shall be capable of performing the following management functions:

Creation and modification of RAD,

Enabling the signature creation function,

Modification of the security attribute SCD/SVD management, SCD operational,

Change the default value of the security attribute SCD Identifier, none.

FMT_MOF.1 Management of security functions behaviour

FMT_MOF.1.1 The TSF shall restrict the ability to **enable** the functions **signature creation function** to **R.Sigy**.

Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1

Ref.: 2016_2000022481

Page: 84/121

FMT_MSA.1/Admin Management of security attributes

FMT_MSA.1.1/Admin The TSF shall enforce the **SCD/SVD Generation SFP** to restrict the ability to **modify** the security attributes **SCD/SVD management** to **R.Admin**.

FMT_MSA.1/Signatory Management of security attributes

FMT_MSA.1.1/Signatory The TSF shall enforce the **Signature Creation SFP** to restrict the ability to **modify** the security attributes **SCD operational** to **R.Sigy**.

FMT_MSA.2 Secure security attributes

FMT_MSA.2.1 The TSF shall ensure that only secure values are accepted for **SCD/SVD Management and SCD operational**.

FMT_MSA.3 Static attribute initialisation

FMT_MSA.3.1 The TSF shall enforce the **SCD/SVD Generation SFP, SVD Transfer SFP and Signature Creation SFP** to provide **restrictive** default values for security attributes that are used to enforce the SFP.

FMT_MSA.3.2 The TSF shall allow the **R.Admin** to specify alternative initial values to override the default values when an object or information is created.

FMT_MSA.4 Security attribute value inheritance

FMT_MSA.4.1 The TSF shall use the following rules to set the value of security attributes:

- (1) If **S.Admin** successfully generates an **SCD/SVD** pair without **S.Sigy** being authenticated the security attribute "**SCD operational of the SCD**" shall be set to "no" as a single operation
- (2) If **S.Sigy** successfully generates an **SCD/SVD** pair the security attribute "**SCD operational of the SCD**" shall be set to "yes" as a single operation

Application Note:

The TOE may not support generating an SVD/SCD pair by the signatory alone, in which case rule (2) is not relevant.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **85/121**

FMT_MTD.1/Admin Management of TSF data

FMT_MTD.1.1/Admin The TSF shall restrict the ability to **create** the **RAD** to **R.Admin**.

FMT_MTD.1/Signatory Management of TSF data

FMT_MTD.1.1/Signatory The TSF shall restrict the ability to **modify** the **RAD** to **R.Sigy**.

9.1.5 Protection of the TSF (FPT)

FPT_EMS.1 TOE Emanation

FPT_EMS.1.1 The TOE shall not emit **side channel** in excess of **state of the art** enabling access to **SCD** and **RAD**.

FPT_EMS.1.2 The TSF shall ensure **that unauthorized users** are unable to use the following interface **external contacts** to gain access to **RAD** and **SCD**.

Application Note:

The TOE shall prevent attacks against the SCD and other secret data where the attack is based on external observable physical phenomena of the TOE. Such attacks may be observable at the interfaces of the TOE or may origin from internal operation of the TOE or may origin by an attacker that varies the physical environment under which the TOE operates. The set of measurable physical phenomena is influenced by the technology employed to implement the TOE. Examples of measurable phenomena are variations in the power consumption, the timing of transitions of internal states, electromagnetic radiation due to internal operation, radio emission. Due to the heterogeneous nature of the technologies that may cause such emanations, evaluation against state of the art attacks applicable to the technologies employed by the TOE is assumed. Examples of such attacks are, but are not limited to, evaluation of TOE's electromagnetic radiation, simple power analysis (SPA), differential power analysis (DPA), timing attacks, etc.

FPT_FLS.1 Failure with preservation of secure state

FPT_FLS.1.1 The TSF shall preserve a secure state when the following types of failures occur:

self-test according to FPT_TST fails (1),

**power shortage,
over and under voltage,
over and under clock frequency,
over and under temperature,
integrity problems,
unexpected abortion of the execution of the TSF due to external events,
none.**

Application Note:

The assignment (1) addresses failures detected by a failed self-test and requiring appropriate action to prevent security violation. When the TOE is in a secure state the TSF shall not perform any cryptographic operations and all data output interfaces shall be inhibited by the TSF.

FPT_PHP.1 Passive detection of physical attack

FPT_PHP.1.1 The TSF shall provide unambiguous detection of physical tampering that might compromise the TSF.

FPT_PHP.1.2 The TSF shall provide the capability to determine whether physical tampering with the TSF's devices or TSF's elements has occurred.

FPT_PHP.3 Resistance to physical attack

FPT_PHP.3.1 The TSF shall resist **resist physical manipulation and physical probing** to the **TSF** by responding automatically such that the SFRs are always enforced.

Application Note:

The TOE implements appropriate measures to continuously counter physical manipulation and physical probing. Due to the nature of these attacks (especially manipulation) the TOE can by no means detect attacks on all of its elements. Therefore, permanent protection against these attacks is required ensuring that the TSP could not be violated at any time. Hence, 'automatic response' means here:

assuming that there might be an attack at any time,
countermeasures are provided at any time.

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481
Page: **87/121**

FPT_TST.1 TSF testing

FPT_TST.1.1 The TSF shall run a suite of self tests **during initial start-up** to demonstrate the correct operation of **the TSF**.

FPT_TST.1.2 The TSF shall provide authorised users with the capability to verify the integrity of **TSF data**.

FPT_TST.1.3 The TSF shall provide authorised users with the capability to verify the integrity of **stored TSF executable code**.

9.1.6 Trusted Path/Channel (FTP)

FTP_ITC.1/SVD Inter-TSF trusted channel

FTP_ITC.1.1/SVD [Editorially Refined] The TSF shall provide a communication channel between itself and another trusted IT product **CGA** that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from modification or disclosure.

FTP_ITC.1.2/SVD [Editorially Refined] The TSF shall permit another trusted IT product **CGA** to initiate communication via the trusted channel.

FTP_ITC.1.3/SVD [Editorially Refined] The TSF **or the CGA** shall initiate communication via the trusted channel for:

according to FIA_UAU.1

none.

FTP_ITC.1/SCD Inter-TSF trusted channel

FTP_ITC.1.1/SCD The TSF shall provide a communication channel between itself and another trusted IT product that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from modification or disclosure.

FTP_ITC.1.2/SCD The TSF shall permit **another trusted IT product** to initiate communication via the trusted channel.

FTP_ITC.1.3/SCD The TSF shall initiate communication via the trusted channel for

**Data exchange integrity according to FDP_UCT.1/SCD,
none.**

FTP_ITC.1/DTBS Inter-TSF trusted channel

FTP_ITC.1.1/DTBS [Editorially Refined] The TSF shall provide a communication channel between itself and another trusted IT product **SCA** that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from modification or disclosure.

FTP_ITC.1.2/DTBS [Editorially Refined] The TSF shall permit another trusted IT product **SCA** to initiate communication via the trusted channel.

FTP_ITC.1.3/DTBS [Editorially Refined] The TSF **or the SCA** shall initiate communication via the trusted channel for:

- user authentication according to FIA_UAU.1
- signature creation
- none.

FTP_ITC.1/VAD Inter-TSF trusted channel

FTP_ITC.1.1/VAD [Editorially Refined] The TSF shall provide a communication channel between itself and another trusted IT product **HID** that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from modification or disclosure.

FTP_ITC.1.2/VAD [Editorially Refined] The TSF shall permit **the remote trusted IT product** to initiate communication via the trusted channel.

FTP_ITC.1.3/VAD [Editorially Refined] The TSF **or the HID** shall initiate communication via the trusted channel for:

- user authentication according to FIA_UAU.1
- signature creation
- none.

Application Note:

Note the VAD needs protection depending on the authentication methods employed: VAD for authentication by knowledge needs protection in confidentiality; VAD for biometric authentication may need protection in integrity only.

9.2 Security Assurance Requirements

The Evaluation Assurance Level is EAL5 augmented with AVA_VAN.5 and ALC_DVS.2.

9.3 Security Requirements Rationale

9.3.1 Objectives

9.3.1.1 Security Objectives for the TOE

OTs common to PP SSCD-KG and PP SSCD-KI

OT.Lifecycle_Security OT.Lifecycle_Security is provided by the SFR for SCD/SVD generation FCS_CKM.1, SCD usage FCS_COP.1 and SCD destruction FCS_CKM.4 which ensure cryptographically secure lifecycle of the SCD. The SCD import is controlled by TSF according to FDP_ACC.1/SCD_Import, FDP_ACF.1/SCD_Import and FDP_ITC.1/SCD. The confidentiality of the SCD is protected during import according to FDP_UCT.1/SCD in the trusted channel FTP_ITC.1/SCD. The SCD/SVD generation is controlled by TSF according to FDP_ACC.1/SCD/SVD_Generation and FDP_ACF.1/SCD/SVD_Generation. The SVD transfer for certificate generation is controlled by TSF according to FDP_ACC.1/SVD_Transfer and FDP_ACF.1/SVD_Transfer. The SCD usage is ensured by access control FDP_ACC.1/Signature_Creation, FDP_ACF.1/Signature_Creation which is based on the security attribute secure TSF management according to FMT_MOF.1, FMT_MSA.1/Admin, FMT_MSA.1/Signatory, FMT_MSA.2, FMT_MSA.3, FMT_MSA.4, FMT_MTD.1/Admin, FMT_MTD.1/Signatory, FMT_SMF.1 and FMT_SMR.1. The test functions FPT_TST.1 provides failure detection throughout the lifecycle.

OT.SCD_Secrecy OT.SCD_Secrecy is provided by the security functions specified by the following SFR. FDP_UCT.1/SCD and FTP_ITC.1/SCD ensures the confidentiality for SCD import. FCS_CKM.1 ensures the use of secure cryptographic algorithms for SCD/SVD generation. Cryptographic quality of SCD/SVD pair shall prevent disclosure of SCD by cryptographic attacks using the publicly known SVD. The security functions specified by FDP_RIP.1 and FCS_CKM.4 ensure that residual information on SCD is destroyed after the SCD has been use for signature creation and that destruction of SCD leaves no residual information. The security functions specified by FDP_SDI.2/Persistent ensure that no critical data is modified which could alter the efficiency of the security functions or leak information of the SCD. FPT_TST.1 tests the working conditions of the TOE and FPT_FLS.1 guarantees a secure state when integrity is violated and thus assures that the specified security functions are operational. An example where compromising error conditions are countered by FPT_FLS.1 is fault injection for differential fault analysis (DFA). SFR FPT_EMS.1 and FPT_PHP.3 require additional security features of the TOE to ensure the confidentiality of the SCD.

OT.Sig_Secure OT.Sig_Secure is provided by the cryptographic algorithms specified by FCS_COP.1, which ensures the cryptographic robustness of the signature algorithms. FDP_SDI.2/Persistent corresponds to the integrity of the SCD implemented by the TOE and FPT_TST.1 ensures self-tests ensuring correct signature creation.

OT.Sigy_SigF OT.Sigy_SigF is provided by an SFR for identification and access control. FIA_UAU.1 and FIA_UID.1 ensure that no signature creation function can be invoked before the signatory is identified and authenticated. The security functions specified by FMT_MTD.1/Admin and FMT_MTD.1/Signatory manage the authentication function. SFR FIA_AFL.1 provides protection against a number of attacks, such as cryptographic extraction of residual information, or brute force attacks against authentication. The security function specified by FDP_SDI.2/DTBS ensures the integrity of stored DTBS and FDP_RIP.1 prevents misuse of any resources containing the SCD after de-allocation (e.g. after the signature creation process). The security functions specified by FDP_ACC.1/Signature_Creation and FDP_ACF.1/Signature_Creation provide access control based on the security attributes managed according to the SFR FMT_MTD.1/Signatory, FMT_MSA.2, FMT_MSA.3 and FMT_MSA.4. The SFR FMT_SMF.1 and FMT_SMR.1 list these management functions and the roles. These ensure that the signature process is restricted to the signatory. FMT_MOF.1 restricts the ability to enable the signature creation function to the signatory. FMT_MSA.1/Signatory restricts the ability to modify the security attributes SCD operational to the signatory.

OT.DTBS_Integrity_TOE OT.DTBS_Integrity_TOE ensures that the DTBS/R is not altered by the TOE. The integrity functions specified by FDP_SDI.2/DTBS require that the DTBS/R has not been altered by the TOE.

OT.Tamper_ID OT.Tamper_ID is provided by FPT_PHP.1 by the means of passive detection of physical attacks.

OT.EMSEC_Design OT.EMSEC_Design covers that no intelligible information is emanated. This is provided by FPT_EMS.1.1.

OT.Tamper_Resistance OT.Tamper_Resistance is provided by FPT_PHP.3 to resist physical attacks.

Specific OTs from PP SSCD-KG

OT.SCD/SVD_Auth_Gen OT.SCD/SVD_Auth_Gen addresses that generation of a SCD/SVD pair requires proper user authentication. The TSF specified by FIA_UID.1 and FIA_UAU.1 provide user identification and user authentication prior to enabling access to authorised functions. The SFR FDP_ACC.1/SCD/SVD_Generation and FDP_ACF.1/SCD/SVD_Generation provide access control for the SCD/SVD generation. The security attributes of the authenticated user are provided by FMT_MSA.1/Admin, FMT_MSA.2, and FMT_MSA.3 for static attribute initialisation. The SFR FMT_MSA.4 defines rules for inheritance of the security attribute 'SCD operational' of the SCD.

OT.SCD_Unique OT.SCD_Unique implements the requirement of practically unique SCD as laid down in Annex III, paragraph 1(a) [DIRECTIVE], which is provided by the cryptographic algorithms specified by FCS_CKM.1. FCS_RND.1

contributes to OT.SCD_Unique, because a random number generator with the required quality of metric used by the key generation algorithms will ensure the uniqueness of the SCD.

OT.SCD_SVD_Corresp OT.SCD_SVD_Corresp addresses that the SVD corresponds to the SCD implemented by the TOE. This is provided by the algorithms specified by FCS_CKM.1 to generate corresponding SVD/SCD pairs. The security functions specified by FDP_SDI.2/Persistent ensure that the keys are not modified, so to retain the correspondence. Moreover, the SCD Identifier allows the environment to identify the SCD and to link it with the appropriate SVD. The management functions identified by FMT_SMF.1 and by FMT_MSA.4 allow R.Admin to modify the default value of the security attribute SCD Identifier.

Specific OTs from PP SSCD-KI

OT.SCD_Auth_Imp OT.SCD_Auth_Imp (Authorized SCD import) is provided by the security functions specified by the following SFR. FIA_UID.1 and FIA_UAU.1 ensure that the user is identified and authenticated before SCD can be imported. FDP_ACC.1/SCD_Import and FDP_ACF.1/SCD_Import ensure that only authorised users can import SCD.

Additional OTs - Trusted Communication with CGA

OT.TOE_SSCD_Auth OT.TOE_SSCD_Auth requires the TOE to provide security mechanisms to identify and to authenticate themselves as SSCD, which is directly provided by FIA_API.1 (Authentication Proof of Identity). The SFR FIA_UAU.1 allows establishment of the trusted channel before (human) user is authenticated.

OT.TOE_TC_SVD_Exp OT.TOE_TC_SVD_Exp requires the TOE to provide a trusted channel to the CGA to protect the integrity of the SVD exported to the CGA, which is directly provided by: o the SVD transfer for certificate generation is controlled by TSF according to FDP_ACC.1/SVD_Transfer and FDP_ACF.1/SVD_Transfer; o FTP_ITC.1/SVD inter-TSF trusted channel, which requires the TOE to provide a trusted channel to the CGA. o FDP_DAU.2/SVD (Data Authentication with Identity of Guarantor), which requires the TOE to provide CGA with the ability to verify evidence of the validity of the SVD and the identity of the user that generated the evidence.

Additional OTs - Trusted Communication with SCA

OT.TOE_TC_DTBS_Imp OT.TOE_TC_DTBS_Imp is provided by FTP_ITC.1/DTBS to provide a trusted channel to protect the DTBS provided by the SCA to the TOE and by FDP_UIT.1/DTBS, which requires the TSF to verify the integrity of the received DTBS.

OT.TOE_TC_VAD_Imp OT.TOE_TC_VAD_Imp is provided by FTP_ITC.1/VAD to provide a trusted channel to protect the VAD provided by the HID to the TOE.

9.3.2 Rationale tables of Security Objectives and SFRs

Security Objectives	Security Functional Requirements	Rationale
OT.Lifecycle Security	FCS_CKM.1 , FCS_COP.1 , FCS_CKM.4 , FDP_ACC.1/SCD/SVD Generation , FDP_ACF.1/SCD/SVD Generation , FDP_ACC.1/SVD Transfer , FDP_ACC.1/Signature Creation , FDP_ACF.1/Signature Creation , FDP_ACF.1/SVD Transfer , FMT_MOF.1 , FMT_MSA.1/Admin , FMT_MSA.1/Signatory , FMT_MSA.2 , FMT_MSA.3 , FMT_MSA.4 , FMT_MTD.1/Admin , FMT_MTD.1/Signatory , FMT_SMR.1 , FMT_SMF.1 , FPT_TST.1 , FDP_ITC.1/SCD , FDP_UCT.1/SCD , FTP_ITC.1/SCD , FDP_ACC.1/SCD Import , FDP_ACF.1/SCD Import	Section 9.3.1
OT.SCD Secrecy	FCS_CKM.1 , FCS_CKM.4 , FDP_RIP.1 , FDP_SDI.2/Persistent , FPT_FLS.1 , FPT_PHP.3 , FPT_TST.1 , FPT_EMS.1 , FDP_UCT.1/SCD , FTP_ITC.1/SCD	Section 9.3.1
OT.Sig Secure	FDP_SDI.2/Persistent , FCS_COP.1 , FPT_TST.1	Section 9.3.1
OT.Sigy SigF	FDP_ACC.1/Signature Creation , FDP_ACF.1/Signature Creation , FDP_RIP.1 , FDP_SDI.2/DTBS , FIA_AFL.1 , FIA_UAU.1 , FIA_UID.1 , FMT_MOF.1 , FMT_MSA.1/Signatory , FMT_MSA.2 , FMT_MSA.3 , FMT_MSA.4 , FMT_MTD.1/Admin , FMT_MTD.1/Signatory , FMT_SMR.1 , FMT_SMF.1	Section 9.3.1
OT.DTBS Integrity TOE	FDP_SDI.2/DTBS	Section 9.3.1
OT.Tamper ID	FPT_PHP.1	Section 9.3.1
OT.EMSEC Design	FPT_EMS.1	Section 9.3.1
OT.Tamper Resistance	FPT_PHP.3	Section 9.3.1
OT.SCD/SVD Auth Gen	FDP_ACC.1/SCD/SVD Generation , FDP_ACF.1/SCD/SVD Generation , FIA_UAU.1 , FIA_UID.1 , FMT_MSA.1/Admin , FMT_MSA.2 , FMT_MSA.3 , FMT_MSA.4	Section 9.3.1

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **93/121**

OT.SCD Unique	FCS CKM.1 , FCS RND.1	Section 9.3.1
OT.SCD SVD Corresp	FCS CKM.1 , FDP SDI.2/Persistent , FMT MSA.4 , FMT SMF.1	Section 9.3.1
OT.SCD Auth Imp	FDP ACC.1/SCD Import , FDP ACF.1/SCD Import , FIA UAU.1 , FIA UID.1	Section 9.3.1
OT.TOE SSCD Auth	FIA UAU.1 , FIA API.1	Section 9.3.1
OT.TOE TC SVD Exp	FDP ACC.1/SVD Transfer , FDP ACF.1/SVD Transfer , FTP ITC.1/SVD , FDP DAU.2/SVD	Section 9.3.1
OT.TOE TC DTBS Imp	FTP ITC.1/DTBS , FDP UIT.1/DTBS	Section 9.3.1
OT.TOE TC VAD Imp	FTP ITC.1/VAD	Section 9.3.1

Table 10 Security Objectives and SFRs - Coverage

Security Functional Requirements	Security Objectives
FCS_CKM.1	OT.Lifecycle Security , OT.SCD Unique , OT.SCD SVD Corresp , OT.SCD Secrecy
FCS_CKM.4	OT.Lifecycle Security , OT.SCD Secrecy
FCS_COP.1	OT.Lifecycle Security , OT.Sig Secure
FCS_RND.1	OT.SCD Unique
FDP_ACC.1/SCD/SVD Generation	OT.Lifecycle Security , OT.SCD/SVD Auth Gen
FDP_ACF.1/SCD/SVD Generation	OT.Lifecycle Security , OT.SCD/SVD Auth Gen
FDP_ACC.1/SVD Transfer	OT.TOE TC SVD Exp , OT.Lifecycle Security
FDP_ACF.1/SVD Transfer	OT.TOE TC SVD Exp , OT.Lifecycle Security
FDP_ACC.1/Signature Creation	OT.Lifecycle Security , OT.Sig SigF
FDP_ACF.1/Signature Creation	OT.Lifecycle Security , OT.Sig SigF
FDP_RIP.1	OT.SCD Secrecy , OT.Sig SigF
FDP_SDI.2/Persistent	OT.SCD SVD Corresp , OT.SCD Secrecy , OT.Sig Secure
FDP_SDI.2/DTBS	OT.Sig SigF , OT.DTBS Integrity TOE
FDP_ACC.1/SCD Import	OT.SCD Auth Imp , OT.Lifecycle Security
FDP_ACF.1/SCD Import	OT.SCD Auth Imp , OT.Lifecycle Security
FDP_ITC.1/SCD	OT.Lifecycle Security
FDP_UCT.1/SCD	OT.Lifecycle Security , OT.SCD Secrecy
FDP_DAU.2/SVD	OT.TOE TC SVD Exp
FDP_UIT.1/DTBS	OT.TOE TC DTBS Imp
FIA_UID.1	OT.SCD/SVD Auth Gen , OT.Sig SigF , OT.SCD Auth Imp
FIA_UAU.1	OT.TOE SSCD Auth , OT.SCD/SVD Auth Gen , OT.Sig SigF , OT.SCD Auth Imp

FIA AFL.1	OT.Sigy SigF
FIA API.1	OT.TOE SSCD Auth
FMT SMR.1	OT.Lifecycle Security, OT.Sigy SigF
FMT SMF.1	OT.Lifecycle Security, OT.SCD SVD Corresp, OT.Sigy SigF
FMT MOF.1	OT.Lifecycle Security, OT.Sigy SigF
FMT MSA.1/Admin	OT.Lifecycle Security, OT.SCD/SVD Auth Gen
FMT MSA.1/Signatory	OT.Lifecycle Security, OT.Sigy SigF
FMT MSA.2	OT.Lifecycle Security, OT.SCD/SVD Auth Gen, OT.Sigy SigF
FMT MSA.3	OT.Lifecycle Security, OT.SCD/SVD Auth Gen, OT.Sigy SigF
FMT MSA.4	OT.Lifecycle Security, OT.SCD/SVD Auth Gen, OT.SCD SVD Corresp, OT.Sigy SigF
FMT MTD.1/Admin	OT.Lifecycle Security, OT.Sigy SigF
FMT MTD.1/Signatory	OT.Lifecycle Security, OT.Sigy SigF
FPT EMS.1	OT.SCD Secrecy, OT.EMSEC Design
FPT FLS.1	OT.SCD Secrecy
FPT PHP.1	OT.Tamper ID
FPT PHP.3	OT.SCD Secrecy, OT.Tamper Resistance
FPT TST.1	OT.Lifecycle Security, OT.SCD Secrecy, OT.Sig Secure
FTP ITC.1/SVD	OT.TOE TC SVD Exp
FTP ITC.1/SCD	OT.Lifecycle Security, OT.SCD Secrecy
FTP ITC.1/DTBS	OT.TOE TC DTBS Imp
FTP ITC.1/VAD	OT.TOE TC VAD Imp

Table 11 SFRs and Security Objectives

9.3.3 Dependencies

9.3.3.1 SFRs Dependencies

Requirements	CC Dependencies	Satisfied Dependencies
FCS_CKM.1	(FCS_CKM.2 or FCS_COP.1) and (FCS_CKM.4)	FCS_CKM.4 , FCS_COP.1
FCS_CKM.4	(FCS_CKM.1 or FDP_ITC.1 or FDP_ITC.2)	FCS_CKM.1
FCS_COP.1	(FCS_CKM.1 or FDP_ITC.1 or FDP_ITC.2) and (FCS_CKM.4)	FCS_CKM.1 , FCS_CKM.4
FCS_RND.1	No Dependencies	
FDP_ACC.1/SCD/SVD Generation	(FDP_ACF.1)	FDP_ACF.1/SCD/SVD Generation
FDP_ACF.1/SCD/SVD Generation	(FDP_ACC.1) and (FMT_MSA.3)	FDP_ACC.1/SCD/SVD Generation , FMT_MSA.3
FDP_ACC.1/SVD Transfer	(FDP_ACF.1)	FDP_ACF.1/SVD Transfer
FDP_ACF.1/SVD Transfer	(FDP_ACC.1) and (FMT_MSA.3)	FDP_ACC.1/SVD Transfer , FMT_MSA.3
FDP_ACC.1/Signature Creation	(FDP_ACF.1)	FDP_ACF.1/Signature Creation
FDP_ACF.1/Signature Creation	(FDP_ACC.1) and (FMT_MSA.3)	FDP_ACC.1/Signature Creation , FMT_MSA.3
FDP_RIP.1	No Dependencies	
FDP_SDI.2/Persistent	No Dependencies	
FDP_SDI.2/DTBS	No Dependencies	
FDP_ACC.1/SCD Import	(FDP_ACF.1)	FDP_ACF.1/SCD Import
FDP_ACF.1/SCD Import	(FDP_ACC.1) and (FMT_MSA.3)	FDP_ACC.1/SCD Import , FMT_MSA.3
FDP_ITC.1/SCD	(FDP_ACC.1)	FDP_ACC.1/SCD Import ,

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **97/121**

or
FDP_IFC.1)
and
(FMT_MSA.3)

[FMT_MSA.3](#)

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **98/121**

FDP_UCT.1/SCD	(FDP_ACC.1 or FDP_IFC.1) and (FTP_ITC.1 or FTP_TRP.1)	FDP_ACC.1/SCD Import, FTP_ITC.1/SCD
FDP_DAU.2/SVD	(FIA_UID.1)	FIA_UID.1
FDP_UIT.1/DTBS	(FDP_ACC.1 or FDP_IFC.1) and (FTP_ITC.1 or FTP_TRP.1)	FDP_ACC.1/Signature Creation, FTP_ITC.1/DTBS
FIA_UID.1	No Dependencies	
FIA_UAU.1	(FIA_UID.1)	FIA_UID.1
FIA_AFL.1	(FIA_UAU.1)	FIA_UAU.1
FIA_API.1	No Dependencies	
FMT_SMR.1	(FIA_UID.1)	FIA_UID.1
FMT_SMF.1	No Dependencies	
FMT_MOF.1	(FMT_SMF.1) and (FMT_SMR.1)	FMT_SMR.1, FMT_SMF.1
FMT_MSA.1/Admin	(FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1) and (FMT_SMR.1)	FDP_ACC.1/SCD/SVD Generation, FMT_SMR.1, FMT_SMF.1
FMT_MSA.1/Signatory	(FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1) and (FMT_SMR.1)	FDP_ACC.1/Signature Creation, FMT_SMR.1, FMT_SMF.1
FMT_MSA.2	(FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.1) and	FDP_ACC.1/SCD/SVD Generation, FDP_ACC.1/Signature Creation, FMT_SMR.1, FMT_MSA.1/Admin, FMT_MSA.1/Signatory

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **99/121**

	(FMT_SMR.1)	
FMT_MSA.3	(FMT_MSA.1) and (FMT_SMR.1)	FMT_SMR.1 , FMT_MSA.1/Admin , FMT_MSA.1/Signatory
FMT_MSA.4	(FDP_ACC.1 or FDP_IFC.1)	FDP_ACC.1/SCD/SVD Generation , FDP_ACC.1/Signature Creation
FMT_MTD.1/Admin	(FMT_SMF.1) and (FMT_SMR.1)	FMT_SMR.1 , FMT_SMF.1
FMT_MTD.1/Signatory	(FMT_SMF.1) and (FMT_SMR.1)	FMT_SMR.1 , FMT_SMF.1
FPT_EMS.1	No Dependencies	
FPT_FLS.1	No Dependencies	
FPT_PHP.1	No Dependencies	
FPT_PHP.3	No Dependencies	
FPT_TST.1	No Dependencies	
FTP_ITC.1/SVD	No Dependencies	
FTP_ITC.1/SCD	No Dependencies	
FTP_ITC.1/DTBS	No Dependencies	
FTP_ITC.1/VAD	No Dependencies	

Table 12 SFRs Dependencies

9.3.3.2 SARs Dependencies

Requirements	CC Dependencies	Satisfied Dependencies
ADV_ARC.1	(ADV_FSP.1) and (ADV_TDS.1)	ADV_FSP.5 , ADV_TDS.4
ADV_FSP.5	(ADV_IMP.1) and (ADV_TDS.1)	ADV_IMP.1 , ADV_TDS.4
ADV_IMP.1	(ADV_TDS.3) and (ALC_TAT.1)	ADV_TDS.4 , ALC_TAT.2
ADV_INT.2	(ADV_IMP.1) and (ADV_TDS.3) and (ALC_TAT.1)	ADV_IMP.1 , ADV_TDS.4 , ALC_TAT.2
ADV_TDS.4	(ADV_FSP.5)	ADV_FSP.5
AGD_OPE.1	(ADV_FSP.1)	ADV_FSP.5
AGD_PRE.1	No Dependencies	
ALC_CMC.4	(ALC_CMS.1) and (ALC_DVS.1) and (ALC_LCD.1)	ALC_CMS.5 , ALC_DVS.2 , ALC_LCD.1
ALC_CMS.5	No Dependencies	
ALC_DEL.1	No Dependencies	
ALC_DVS.2	No Dependencies	
ALC_LCD.1	No Dependencies	
ALC_TAT.2	(ADV_IMP.1)	ADV_IMP.1
ASE_CCL.1	(ASE_ECD.1) and (ASE_INT.1) and (ASE_REQ.1)	ASE_ECD.1 , ASE_INT.1 , ASE_REQ.2
ASE_ECD.1	No Dependencies	
ASE_INT.1	No Dependencies	
ASE_OBJ.2	(ASE_SPD.1)	ASE_SPD.1
ASE_REQ.2	(ASE_ECD.1) and (ASE_OBJ.2)	ASE_ECD.1 , ASE_OBJ.2
ASE_SPD.1	No Dependencies	
ASE_TSS.1	(ADV_FSP.1) and (ASE_INT.1) and (ASE_REQ.1)	ADV_FSP.5 , ASE_INT.1 , ASE_REQ.2
ATE_COV.2	(ADV_FSP.2) and (ATE_FUN.1)	ADV_FSP.5 , ATE_FUN.1
ATE_DPT.3	(ADV_ARC.1) and (ADV_TDS.4) and (ATE_FUN.1)	ADV_ARC.1 , ADV_TDS.4 , ATE_FUN.1
ATE_FUN.1	(ATE_COV.1)	ATE_COV.2
ATE_IND.2	(ADV_FSP.2) and (AGD_OPE.1) and (AGD_PRE.1) and (ATE_COV.1) and (ATE_FUN.1)	ADV_FSP.5 , AGD_OPE.1 , AGD_PRE.1 , ATE_COV.2 , ATE_FUN.1
AVA_VAN.5	(ADV_ARC.1) and (ADV_FSP.4) and (ADV_IMP.1) and (ADV_TDS.3) and (AGD_OPE.1) and (AGD_PRE.1) and (ATE_DPT.1)	ADV_ARC.1 , ADV_FSP.5 , ADV_IMP.1 , ADV_TDS.4 , AGD_OPE.1 , AGD_PRE.1 , ATE_DPT.3

Table 13 SARs Dependencies

9.3.4 Rationale for the Security Assurance Requirements

The assurance level for this ST is EAL5+ augmented. The TOE is semiformally designed and tested. EAL5+ allows a developer to attain a reasonably high assurance level without the need for highly specialized processes and practices. The TOE is intended to operate in open environments, where attackers can easily exploit vulnerabilities. According to the usage of the TOE, it represents a significant value to perform attacks. In some malicious usages, of the TOE the statistical or probabilistic mechanisms in the TOE, for instance, may be subjected to analysis and attack in the normal course of operation. This level seems to be the reasonable minimum level for card hosting sensitive operations.

9.3.5 AVA_VAN.5 Advanced methodical vulnerability analysis

The TOE is intended to function in a variety of signature creation systems for qualified electronic signatures. Due to the nature of its intended application, i.e., the TOE may be issued to users and may not be directly under the control of trained and dedicated administrators. As a result, it is imperative that misleading, unreasonable and conflicting guidance is absent from the guidance documentation, and that secure procedures for all modes of operation have been addressed. Insecure states should be easy to detect. The TOE shall be shown to be highly resistant to penetration attacks to meet the security objectives OT.SCD_Secrecy, OT.Sigy_SigF and OT.Sig_Secure.

9.3.6 ALC_DVS.2 Sufficiency of security measures

Development security is concerned with physical, procedural, personnel and other technical measures that may be used in the development environment to protect the TOE. Due to the nature of the TOE, there is a need to justify the sufficiency of these procedures to protect the confidentiality and the integrity of the TOE. The TOE shall be protected in confidentiality and integrity during its development to meet the security objective OT.Lifecycle_Security.

10 TOE Summary Specification

10.1 TOE Summary Specification

This section provides a summary of the security functions implemented by the TOE in order to fulfil the security functional requirements. The summary is structured in security functions. They are already mentioned and represent the functional description of the feature overview in section 5.4. The TOE Summary Specification will be given in more detail in the following sections. The security functionalities concerning the IC and the JC Platform are described in [ST-IC], [ST-PL] and are not redefined in this security target, although they must be considered for the TOE.

10.1.1 *Chip security functionalities*

The following functionalities of the product are directly addressed by the chip. The complete list the chip security functionality can be check in the chip Security Target [ST-IC].

SF.IC_INTEGRITY

This SF is responsible for:

- o correcting single bit fails upon a read operation on each NVM byte,
- o verifying valid CPU usage,
- o checking integrity loss when accessing NVM, FLASH or RAM,
- o providing a sign engine to check code and/or data integrity loss,
- o monitoring various manifestations of fault injection attempts,
- o providing a security timeout feature (watchdog timer),
- o providing the embedded software developer with the traceability information of the TOE.

SF.PHYSICAL_TAMPERING

This SF ensures that:

- o The TOE detects clock and voltage supply operating changes by the environment,
- o The TOE detects attempts to violate its physical integrity, and glitch attacks,
- o The TOE is always clocked with shape and timing within specified operating conditions.

SF.SECURITY_ADMIN

This SF ensures the management of the following security violation attempts:

- o Incorrect CPU usage,
- o Integrity loss in NVM, FLASH or RAM
- o Code signature alarm,
- o Fault injection attempt,
- o access attempt to unavailable or reserved memory areas,
- o MPU errors,

- o Clock and voltage supply operating changes,
- o TOE physical integrity abuse.

SF.UNOBSERVABILITY

This SF prevents the disclosure of user data and of TSF data when it is transmitted between separate parts of the TOE (the different memories, the CPU and other functional units of the TOE such as a cryptographic co-processor are seen as separated parts of the TOE). This SF provides protection mechanism of the TOE towards observation and physical tampering, such as random delay and desynchronisation capability.

SF.SYM_CRYPTO

This SF provides AES and TDES data encryption/decryption capability, in order to compute Message Authentication code (MAC) or the encrypted data.

SF.ASYM_CRYPTO

This SF provides:

- o RSA verification (encryption),
- o RSA signature (decryption),
- o RSA private and public keys computation,
- o Prime number generation up to 3200 bits, with Rabin-Miller primality tests. This functionality implements also the following standard hash function:
 - o SHA-1 hash function,
 - o SHA-224 hash function,
 - o SHA-256 hash function,
 - o SHA-384 hash function,
 - o SHA-512 hash function. This security function provides also the following basic functions for Elliptic Curves Cryptography over prime fields:
 - o general point addition,
 - o point expansion and compression,
 - o public scalar multiplication,
 - o private scalar multiplication.

SF.ALEAS

This SF provides a hardware Random Number Generator (RNG) to support security operations performed by cryptographic applications. The RNG complies with the AIS31 Class P2 quality metric.

10.1.2 *Platform security functionalities*

SF.RNG

This SF manages random number generation in compliance with X9.31. This function calls SF.ALEAS to initialise the seed key.

SF.ACCESS

This SF manages the access to objects (files, directories, data and secrets) stored in FLASH. Write and read access to RAM and FLASH are forbidden from outside of the TOE. Access to an object is granted if:

- o Object type is managed by the TOE;
- o Object Integrity is verified;
- o Access conditions are fulfilled; Operations on objects are:
 - o File or directory creation with related security attributes. A file or directory is created under the ADF of the application with whom it is associated.
 - o File or directory deletion.
 - o Write operation.
 - o Read operation.
 - o Object life cycle management.
 - o SCD/SVD generation.
 - o SCD/SVD destruction.
 - o SVD Export.
 - o DTBS loading from an authorized SCA.
 - o DTBS signature with an operational SCD.

SF.INIT

This SF is called after each reset of the card and performs the following operations:

- o test of the TOE (call of the SF.TEST security function);
- o Module initialization and application initialization.

SF.MEMORY

This SF manages FLASH and RAM erasure:

- o RAM erasure is achieved by a software mechanism that writes random data in RAM;
- o FLASH erasure is achieved by a software mechanism that writes random data in FLASH.

SF.CHECK

This SF tests the integrity of the following items:

- o File header: Checksum/FLASH;
- o File body: Checksum/FLASH;
- o OTP area: Checksum/FLASH;
- o Secrets;
- o I/O buffers; When an error is detected, the SF.AUDIT security functionality is called and SF.AUDIT takes the appropriate actions.

SF.TEST

This SF tests the following elements at start-up:

- o FLASH stored executable code;
- o FLASH;
- o Random number generator;
- o DES hardware;
- o Crypto processor; Integrity of the executable code in FLASH is also checked before its execution. When an error is detected, the SF.AUDIT security functionality is called and SF.AUDIT takes the appropriate actions.

SF.AUDIT

This SF is reacting when a fault or an anomaly is detected. In any case, the RAM is erased and a reset occurs. In some cases, the FLASH may also be erased and the card will be terminated.

10.1.3 *Application manager security functions*

SF.GESTION

At start-up of the card, this SF calls SF.INIT and then waits for a command sent by the terminal. This command is then executed or transmitted to another module or application. This security function manages:

- o Management of the secure state of the TOE.
- o Application selection.
- o Application separation. **Management of the secure state of the TOE:** The security function SF.GESTION updates the security state of the TOE according to:
 - o Current authenticated user.
 - o Access conditions and validity of those access conditions. **Application selection and application separation:** The security function SF.GESTION ensures that each received command is forwarded to the right application.

10.1.4 *Application security functionalities*

SF.AUTHENTICATION

Only authenticated terminals can get access to the user data stored on the TOE. The ID.me applet offers several authentication schemes enabling to authenticate different roles, such as:

- o The signatory entitled to use the services offered by the card. It is called "User Authentication".
- o The device communicating with the card, to establish a trusted channel (secure messaging) and protect the communication. It is called "Device authentication".
- o The administrator of a service, to administrate some features. It is called "Role authentication".

The **User authentication** is based on the submission of a PIN/password (i.e., knowledge based) or a biometric template (i.e., biometry based).

- o Knowledge based: The Authentication of the user relies on a shared secret (PIN), known by both the holder and the smartcard. The Card holder is authenticated by the means of the VERIFY command. For each SCD separate signatory's RADs

(PINs) are assigned. The verification process uses a velocity checking mechanism, thus a remaining tries counter and a maximum error counter are defined for each PIN. If the verification fails, the tries counter is decremented by one and an error status that contains the remaining attempts is returned by the application. When all available tries have failed, the PIN is blocked and can no longer be used. Note that a successful verification of the PIN resets its remaining tries counter to the maximum error counter.

- o Biometry based: The most known biometric kind is the "Fingerprint" or the "Facial recognition". Instead of storing a number for the PIN, the card will store the reference template of the biometry that will be used for the verification.

The **Device authentication** aims at authenticating both entities willing to communicate and securing the communication between the card and a service provider (it might be a terminal, a server, etc).

- o Symmetric Authentication Scheme: The smart card implements a symmetric mutual authentication scheme. This one relies either on 3DES or AES Cipher block and used to:
 - Authenticate the terminal and the card.
 - Generate two temporary keys that will be further used to compute session keys for the secure messaging in the subsequent commands.
 - Initialize the counter used at each checksum computation.
- o PACE Authentication: PACE establishes Secure Messaging between the ID.me application and a terminal based on weak (short) passwords:
 - Strong session keys are provided independent of the strength of the password.
 - The entropy of the password(s) used to authenticate the terminal can be very low (e.g., 6 digits are sufficient in general).

The detailed specification of the PACE protocol can be found in [ICAO]. As opposed to the original context in which PACE is used, i.e., before the application selection, the ID.me application simply considers the PACE protocol as another way to initiate secure messaging with the terminal. In other words, PACE is an access condition that may or may not be required to read or write an object in the file system.

The **Symmetric role authentication** presents the procedure to authenticate an external entity to the card in order to associate to it a specific role (e.g., access rights). Two schemes may be used, relying either on 3DES or AES Cipher block. The following procedure describes:

- o The cryptographic operation that allows the authentication
- o The specification of the associated role in the card This feature is described in [D14890-2], §7.3.

In ID.me, the Access conditions "Secure Messaging" mandates both a successful terminal authentication and an active secure messaging session.

This security function manages authentication failure: when the "highest value in the configurable range of positive numbers fixed by the Administrator" unsuccessful authentication attempts have been met, the TSF shall block the RAD.

This security functionality allows the following operations to be performed before the user is authenticated:

- o Identification of the user,
- o Establishing a trusted path between the HID and the TOE,
- o Establishing a trusted channel between the SCA and the TOE,
- o Establishing a trusted channel between the CGA and the TOE.

SF.APP_CRYPTO

This SF performs high level cryptographic operations:

- o key generation:
 - SF.CRYPTO performs RSA key generation of size 1024, 1536, 2048, 2560 and 3072 bits in conformance with RSA PKCS1 v2.1. Key generation is performed based on random numbers generated by a deterministic RNG (call to SF.RNG),
 - SF.CRYPTO performs Elliptic curves generation of size 192,224,256, 320, 384,512 and 521 bits in conformance with ANS X9.62.
- o Digital signature generation:
 - the signature generation function shall have an access condition based upon previous authentication of user.
 - signature generation by using ECDSA algorithm with cryptographic key sizes of 192,224,256, 320, 384,512 and 521 (provided by the cryptographic library of the Platform).
 - signature generation by using RSA algorithm with cryptographic key sizes of 1024, 1536, 2048, 2560, and 3072 bits (provided by Platform).
- o SCD/SVD key pair consistency check: SF.CRYPTO performs SCD/SVD consistency check before signature generation by signature generation followed by signature verification. If the signature verification does not match the signature generation, then the key pair is not consistent.
- o Encryption/decryption: SF.CRYPTO performs TDES and AES in order to achieve encryption and decryption in secure messaging.
- o Integrity verification: SF.CRYPTO performs ISO/IEC 9797-1 algorithm 3 padding 2 (3DES) or CMAC (AES) in order to achieve message authentication code in secure messaging.
- o Authentication cryptogram creation/verification: SF.CRYPTO performs the following authentication cryptogram calculation/verification:
 - Mutual symmetric authentication based on TDES or AES,
 - PACE authentication based on [ICAO],
 - Role symmetric authentication based on TDES or AES.
- o Random number generation according to X9.31 provided by the Platform (e.g. for PACE authentication mechanism).
- o Data Hashing: SF.CRYPTO performs SHA-1, SHA-224, SHA-256, SHA-384 and SHA-512 in conformance with NIST FIPS PUB 180-2, in order to calculate a hash value.

All cryptographic functionality is provided by the platform (see [ST-PL]). This security functionality may call SF.SYM_CCRYPTO, SF.ASYM_CCRYPTO and SF.RNG.

SF.APP_INTEGRITY

This security functionality monitors the integrity of sensitive user data and the integrity of the DTBS/R. The integrity of persistently stored data such as SCD, RAD and SVD is monitored using the platform features (see [ST-PL])). In case of integrity error this TSF will:

- o Prohibit the use of the altered data, and
- o Inform the S.Signatory about integrity error. This TSF also monitors the integrity of the access conditions of created data objects and also ensures that no residual information is available after a RAD update or clearance.

SF.RATIF

A counter is associated to a secret key, to a password and to the VAD, which is used to count the number of successive unsuccessful authentication attempts. The counter is reinitialised when the authentication is successful. If the counter reaches its maximum value, then the related secret is blocked and cannot be used anymore.

SF.TRUSTED_CHANNEL

This SF realizes a secure communication channel to verify authenticity and integrity as well as securing confidentiality of user data between the TOE and other devices connected.

The ID.me Package performs the following secure messaging tasks with external applications (SCA, HID or CGA) for protection of the communication data as the DTBS, authentication data as the VAD or for ensuring the integrity of the SVD:

- o PACE or Symmetric mutual authentication used to establish session keys for secure messaging.
- o Encryption and decryption of the transmitted message.
- o MAC generation and verification for secure messaging.
- o ECDH key agreement.
- o Secure hash computation.
- o Random number generation.

This SF manages four modes of secure channel during the personalization phase:

- o No secure messaging
- o Integrity mode
- o Confidentiality mode
- o Integrity and confidentiality mode

SF.MANAGEMENT

This SF manages the access to objects (files, directories, data and secrets) stored in the ID.me file system. It also controls write access of initialization, pre-personalization and personalization data. This SF ensures secure management of secrets such as cryptographic keys. It also covers access to keys as well as secure key deletion. This SF controls all the operations relative

to the RAD/VAD management, including the Cardholder (signatory) authentication:

- o RAD creation: the RAD is stored and is associated to a maximum successful presentation number (usage counter) and to a maximum error number.
- o VAD verification: the RAD can be accessed only if its format and integrity are correct and if the usage counter has not reached 0. If the RAD is blocked, then it cannot be used anymore.
- o RAD ratification counter: The number of authentication attempts is limited by a counter associated to the RAD. The counter is decremented each time the VAD verification fails. The RAD cannot be used any longer if the counter reaches zero.
- o RAD usage counter: the usage counter is decremented each time the RAD is verified successfully. When this counter reaches 0, the RAD cannot be verified anymore.
- o RAD modification: the RAD can be changed by the cardholder (loading a new value). The RAD is managed and stored by the application. The operations on RAD and VAD are performed thanks to services offered by the platform.

This SF manages the security environment of the application and:

- o Maintains the roles of Signatory and Administrator.
- o Controls if the authentication required for a specific operation has been performed with success.
- o Manages restriction to security function access and to security attribute modification.
- o Ensures that only secure values are accepted for security attributes. This security functionality restricts the ability to perform the function Signature creation SFP to Signatory. This security functionality ensures that only Administrator is authorized to
 - Modify Initialization SFP and Signature creation SFP attributes
 - Specify alternative default values

This SF provides the electronic signature application with access control and ensures that the following operations are executed by authorized roles:

- o Export of SVD to CGA
- o Generation of SCD/SVD pair by the Signatory
- o Creation of RAD by the Administrator
- o Signing of DTBS/R by S.Signatory

This SF manages Session key generation: Session keys are protected in integrity and confidentiality during generation. This SF enforces secure storage of the session keys during generation.

This SF manages Secret destruction: This SF calls the security function SF.MEMORY to erase keys.

This SF manages Secret loading: Loading of a secret is always done by an authorized user through a secure command. This command is accepted only after authentication of the authorized user.

This SF manages Secret loading: Secret transfer: This SF manages the secure transfer of every secret to the cryptoprocessor when used for cryptographic operation.

Access control is enforced by the APDU methods as specified in the interface defined in the functional specification.

10.2 SFRs and TSS

10.2.1 SFRs and TSS - Rationale

Cryptographic support (FCS)

FCS_CKM.1

- o is met by SF.APP_CRYPTO that ensures that the TOE generates SCD/SVD cryptographic key pairs.
- o is also met by SF.ASYM_CRYPTO, which provides RSA and ECDSA calculation.
- o is also met by SF.MANAGEMENT, which ensures the protection of the keys during generation.
- o is also met by SF.RNG and SF.ALEAS, which provide generation of random number.

FCS_CKM.4 is met by SF.MANAGEMENT and SF.MEMORY, as SF.MANAGEMENT manages the secure destruction of secret by calling SF.MEMORY, and SF.MEMORY manages erasure of data stored in FLASH and RAM, and in particular of the SCD.

FCS_COP.1

- o is met by SF.APP_CRYPTO that provides RSA and ECDSA key pair consistency check. SF.ASYM_CRYPTO, by providing functionalities for RSA and basic functions for Elliptic Curves Cryptography, also supports this requirement.
- o is met by SF.APP_CRYPTO that provides electronic signature generation compliant with RSA pkcs1 v2.1 and with ECDSA. SF.ASYM_CRYPTO, by providing RSA and ECDSA functionalities, also supports this requirement.
- o is met by SF.APP_CRYPTO that provides TDES in CBC mode or AES in CBC mode for encryption and decryption. SF.SYM_CRYPTO, by providing TDES or AES functionalities, also supports this requirement.
- o is met by SF.APP_CRYPTO that provides ISO/IEC 9797-1 algorithm 3 padding 2 (3DES) or CMAC (AES) for integrity. SF.SYM_CRYPTO, by providing TDES or AES functionalities, also supports this requirement.
- o is met by SF.AUTHENTICATION that provides PACE Authentication and Symmetric Mutual Authentication.
- o is met by SF.TRUSTED_CHANNEL that provides secure messaging with CGA and SCA.

FCS_RND.1 requires that the TSF should provide random numbers with a defined quality metric. This is provided by SF.APP_CRYPT0, SF.ALEAS and SF.RNG.

User data protection (FDP)

FDP_ACC.1/SCD/SVD_Generation is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that only an authorized user under specific conditions can perform a dedicated operation, and in particular that only users authenticated as administrator or signatory can perform SCD/SVD generation, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ACF.1/SCD/SVD_Generation is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that only an authorized user under specific conditions can perform a dedicated operation, and in particular that only users authenticated as administrator or signatory can perform SCD/SVD generation, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ACC.1/SVD_Transfer is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that only an authorized user can perform a dedicated operation, and in particular that only users authenticated as administrator or signatory can perform SVD export, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ACF.1/SVD_Transfer is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that only an authorized user can perform a dedicated operation, and in particular that only users authenticated as administrator or signatory can perform SVD export, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ACC.1/Signature_Creation is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that all the access conditions are met before a dedicated operation can be performed, and in particular that only a user authenticated as signatory can perform signature of DTBS loading from an authorized SCA with a RSA or ECDSA key pair whose consistency has been verified, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ACF.1/Signature_Creation is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that all the access conditions are met before a dedicated operation can be performed, and in particular that only a user authenticated as signatory can perform signature of DTBS loading from an authorized SCA with a RSA or ECDSA key pair whose consistency has been

verified, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_RIP.1 is met by SF.MEMORY, SF.ACCESS and SF.MANAGEMENT that ensure secure erasure of data in FLASH and in RAM (e.g. after the sig-nature-creation process), and in particular of SCD, VAD and RAD.

FDP_SDI.2/Persistent is met by SF.IC_INTEGRITY, SF.APP_INTEGRITY and by TSF_CHECK, that ensure the integrity of data stored in the TOE, and by SF.AUDIT that ensures that the proper reaction is taken (reset or card termination) if an integrity error is detected, so that the user knows an error had occurred and that no altered data can be used.

FDP_SDI.2/DTBS is met by SF.IC_INTEGRITY, SF.APP_INTEGRITY and by TSF_CHECK, that ensure the integrity of data stored in the TOE, and by SF.AUDIT that ensures that the proper reaction is taken (reset or card termination) if an integrity error is detected, so that the user knows an error had occurred and that no altered data can be used.

FDP_ACC.1/SCD_Import is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that only an authorized user can perform a dedicated operation, and in particular that only users authenticated as administrator or signatory can perform SCD import, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ACF.1/SCD_Import is met by SF.ACCESS, SF.MANAGEMENT, SF.AUTHENTICATION that ensure that only an authorized user can perform a dedicated operation, and in particular that only users authenticated as administrator or signatory can perform SCD import, and by SF.GESTION, which verify that each received command security status is consistent with the security status of the TOE.

FDP_ITC.1/SCD is met by SF.ACCESS that ensure that all the required conditions are met before allowing a SCD import operation.

FDP_UCT.1/SCD is met by SF.ACCESS and SF.GESTION that ensure that all the conditions are met before allowing a SCD import and by SF.TRUSTED_CHANNEL, SF.APP_CRYPTO and SF.SYM_CRYPTO that provide cryptographic means to protect the SCD from disclosure during its import.

FDP_DAU.2/SVD is met by SF.AUTHENTICATION and SF.TRUSTED_CHANNEL to ensure that exported SVD to the CGA is authenticated and unmodified

FDP_UIT.1/DTBS requires that integrity of the DTBS/R to be signed is to be verified, as well as the DTBS/R is not altered by the TOE. This is provided by the trusted channel integrity verification mechanisms (SF.TRUSTED_CHANNEL, SF.SYM_CRYPTO, SF.APP_CRYPTO).

Identification and authentication (FIA)**FIA_UID.1**

- o is met by SF.INIT and SF.GESTION, which manage the initialization of the communication with the card and by SF.ACCESS that ensures that no operation is performed if the access conditions, such as user identification, are not met.
- o is met by SF.AUTHENTICATION and SF.MANAGEMENT that provide user identification and user authentication prior to enabling access to authorized functions.

FIA_UAU.1

- o is met by SF.INIT and SF.GESTION, which manage the initialization of the communication with the card and by SF.ACCESS that ensures that no operation is performed if the access conditions, such as user authentication, are not met.
- o is met by SF.AUTHENTICATION and SF.MANAGEMENT that provide user identification and user authentication prior to enabling access to authorized functions.
- o is met by SF.TRUSTED_CHANNEL that provides a trusted secure messaging with CGA and SCA.

FIA_AFL.1

- o This SFR is met by SF.AUTHENTICATION and SF.MANAGEMENT. Note that SF.AUTHENTICATION contains configurable mechanisms based on the standard ISO7816 Verify PIN command, biometric characteristic verification and on the PACE protocol.
- o This SFR is also met by SF.RATIF that ensures that the RAD is blocked after a defined number of failed successive signatory authentication attempts.

FIA_API.1

- o The TOE supports ECDSA or RSA calculations in order to generate signatures (SF.ASYM_CRYPTO, SF.APP_CRYPTO).
- o The TOE supports the establishment of a trusted channel/path based on 3DES or AES mutual authentication with negotiation of symmetric cryptographic keys used for the protection of the communication data with respect to confidentiality and integrity (SF.TRUSTED_CHANNEL, SF.SYM_CRYPTO, SF.APP_CRYPTO).

Security management (FMT)

FMT_SMR.1 is met by SF.AUTHENTICATION that provides user authentication as administrator or as signatory and by SF.ACCESS and SF.MANAGEMENT that grant to the administrator and to the signatory specific access rights, thus defining roles for the TOE.

FMT_SMF.1 requires that the TSF shall be capable of performing the following management functions: (1) Creation and modification of the reference authentication data (RAD), (2) Enabling the signature-creation function, (3) Modification of the security attribute SCD/SVD management, SCD operational,

(4) Change the default value of the security attribute SCD Identifier, (5) none.
This is realized by SF.MANAGEMENT

FMT_MOF.1 is met by SF.ACCESS and SF.MANAGEMENT that ensure that only authenticated signatory can perform DTBS signature.

FMT_MSA.1/Admin is met by SF.ACCESS and SF.MANAGEMENT that manage the access right policy of the TOE.

FMT_MSA.1/Signatory is met by SF.ACCESS and SF.MANAGEMENT that manage the access right policy of the TOE.

FMT_MSA.2 is met by SF.ACCESS and SF.MANAGEMENT that manage the access right policy of the TOE and in particular manages the security attributes.

FMT_MSA.3 is met by SF.ACCESS and SF.MANAGEMENT that manage the access right policy of the TOE and in particular manage the security attributes, their initialisation and their access rights.

FMT_MSA.4 requires that the TSF shall use the following rules to set the value of security attributes: (1) if S.Admin successfully generates an SCD/SVD pair without S.Sigy being authenticated the security attribute 'SCD operational of the SCD' shall be set to 'no' as a single operation; (2) if S.Sigy successfully generates an SCD/SVD pair the security attribute 'SCD operational of the SCD' shall be set to 'yes' as a single operation. This is realized by SF.MANAGEMENT and SF.ACCESS.

FMT_MTD.1/Admin

- o is met by SF.ACCESS and SF.MANAGEMENT that manage the authentication function and ensure that only authenticated administrator can create the RAD.
- o is met by SF.AUTHENTICATION that provides the authentication protocol.

FMT_MTD.1/Signatory

- o is met by SF.ACCESS and SF.MANAGEMENT that that manage the authentication function and ensure that only authenticated signatory can modify the RAD.
- o is met by SF.AUTHENTICATION that provides the authentication protocol.

Protection of the TSF (FPT)

FPT_EMS.1 is met by SF.UNOBSERVABILITY that ensures that no emanation can be used to retrieve information during TOE operations. FPT_EMS.1 is also met by SF.APP_CRYPTO and SF_MANAGEMENT which ensure secure execution of cryptographic operations on keys.

FPT_FLS.1 is met by SF.PHYSICAL_TAMPERING, SF.SECURITY_ADMIN and SF.AUDIT that ensure that failures in the TSF are detected and that the proper

actions (reset, card termination) are taken in order to preserve a secure state of the TOE.

FPT_PHP.1 is met by SF.PHYSICAL_TAMPERING, SF.SECURITY_ADMIN, SF.APP_INTEGRITY, SF.IC_INTEGRITY and SF.AUDIT that ensure that physical tampering of the TOE is detected and that the proper actions (reset, card termination) are taken, so that it can be determined if a physical tampering has occurred.

FPT_PHP.3 is met by SF.PHYSICAL_TAMPERING, SF.SECURITY_ADMIN and SF.AUDIT that ensures that physical tampering of the TOE is detected and that the proper actions (reset, card termination) in order to protect the TOE.

FPT_TST.1 is met by SF.TEST that performs a set of self-tests at start-up, thus checking the correct operation of the TSF, and that verifies the integrity of the stored executable code before or during its execution and by SF.IC_INTEGRITY, SF.APP_INTEGRITY and SF.CHECK that provide means to verify the integrity of the data stored on the TOE.

Trusted Path/Channel (FTP)

FTP_ITC.1/SVD is met by SF.ACCESS and SF.MANAGEMENT that enforce the access right policy for SVD Transfer and by SF.TRUSTED_CHANNEL, SF.APP_CRYPTO and SF.SYM_CRYPTO that provide cryptographic means to set up a trusted channel between the TOE and a CGA to protect the exchanged data (SVD) from modification and disclosure.

FTP_ITC.1/SCD is met by SF.ACCESS and SF.MANAGEMENT that enforce the access right policy for SCD Import and by SF.TRUSTED_CHANNEL, SF.APP_CRYPTO and SF.SYM_CRYPTO that provide cryptographic means to set up a trusted channel between the TOE and a CSP to protect the exchanged data (SCD) from modification and disclosure.

FTP_ITC.1/DTBS is met by SF.ACCESS that enforces the access right policy for DTBS Import and by SF.TRUSTED_CHANNEL, SF.APP_CRYPTO and SF.SYM_CRYPTO that provide cryptographic means to set up a trusted channel between the TOE and a SCA to protect the exchanged data (DTBS) from modification and disclosure.

FTP_ITC.1/VAD is met by SF.ACCESS that enforces the access right policy for DTBS Import and by SF.TRUSTED_CHANNEL, SF.APP_CRYPTO and SF.SYM_CRYPTO that provide cryptographic means to set up a trusted channel between the TOE and a SCA to protect the exchanged data (DTBS) from modification and disclosure.

10.2.2 Association tables of SFRs and TSS

**Security target LITE ID.me 1.28 on
 IDEalCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

 Page: **116/121**

Security Functional Requirements	TOE Summary Specification
FCS_CKM.1	SF.APP_CRYPTO , SF.ASYM_CRYPTO , SF.MANAGEMENT , SF.RNG , SF.ALEAS
FCS_CKM.4	SF.MANAGEMENT , SF.MEMORY
FCS_COP.1	SF.APP_CRYPTO , SF.ASYM_CRYPTO , SF.SYM_CRYPTO , SF.AUTHENTICATION , SF.TRUSTED_CHANNEL
FCS_RND.1	SF.APP_CRYPTO , SF.ALEAS , SF.RNG
FDP_ACC.1/SCD/SVD Generation	SF.AUTHENTICATION , SF.MANAGEMENT , SF.ACCESS , SF.GESTION
FDP_ACF.1/SCD/SVD Generation	SF.AUTHENTICATION , SF.MANAGEMENT , SF.ACCESS , SF.GESTION
FDP_ACC.1/SVD Transfer	SF.MANAGEMENT , SF.AUTHENTICATION , SF.GESTION , SF.ACCESS
FDP_ACF.1/SVD Transfer	SF.MANAGEMENT , SF.AUTHENTICATION , SF.GESTION , SF.ACCESS
FDP_ACC.1/Signature Creation	SF.MANAGEMENT , SF.AUTHENTICATION , SF.GESTION , SF.ACCESS
FDP_ACF.1/Signature Creation	SF.MANAGEMENT , SF.AUTHENTICATION , SF.GESTION , SF.ACCESS
FDP_RIP.1	SF.MANAGEMENT , SF.ACCESS , SF.MEMORY
FDP_SDI.2/Persistent	SF.APP_INTEGRITY , SF.IC_INTEGRITY , SF.CHECK , SF.AUDIT
FDP_SDI.2/DTBS	SF.IC_INTEGRITY , SF.CHECK , SF.AUDIT , SF.APP_INTEGRITY
FDP_ACC.1/SCD Import	SF.ACCESS , SF.GESTION , SF.AUTHENTICATION , SF.MANAGEMENT
FDP_ACF.1/SCD Import	SF.ACCESS , SF.GESTION , SF.AUTHENTICATION , SF.MANAGEMENT
FDP_ITC.1/SCD	SF.ACCESS
FDP_UCT.1/SCD	SF.SYM_CRYPTO , SF.ACCESS , SF.GESTION , SF.APP_CRYPTO , SF.TRUSTED_CHANNEL
FDP_DAU.2/SVD	SF.AUTHENTICATION , SF.TRUSTED_CHANNEL
FDP_UIT.1/DTBS	SF.TRUSTED_CHANNEL , SF.SYM_CRYPTO , SF.ACCESS , SF.APP_CRYPTO , SF.GESTION
FIA_UID.1	SF.AUTHENTICATION , SF.MANAGEMENT , SF.ACCESS , SF.INIT , SF.GESTION
FIA_UAU.1	SF.MANAGEMENT , SF.AUTHENTICATION , SF.GESTION , SF.INIT , SF.ACCESS , SF.TRUSTED_CHANNEL
FIA_AFL.1	SF.MANAGEMENT , SF.AUTHENTICATION , SF.RATIF
FIA_API.1	SF.TRUSTED_CHANNEL , SF.SYM_CRYPTO ,

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **117/121**

	SF.ASYM_CRYPTO , SF.APP_CRYPTO
FMT_SMR.1	SF.MANAGEMENT , SF.AUTHENTICATION , SF.ACCESS
FMT_SMF.1	SF.MANAGEMENT , SF.ACCESS
FMT_MOF.1	SF.MANAGEMENT , SF.ACCESS
FMT_MSA.1/Admin	SF.MANAGEMENT , SF.ACCESS
FMT_MSA.1/Signatory	SF.MANAGEMENT , SF.ACCESS
FMT_MSA.2	SF.MANAGEMENT , SF.ACCESS
FMT_MSA.3	SF.MANAGEMENT , SF.ACCESS
FMT_MSA.4	SF.MANAGEMENT , SF.ACCESS
FMT_MTD.1/Admin	SF.MANAGEMENT , SF.AUTHENTICATION , SF.ACCESS
FMT_MTD.1/Signatory	SF.MANAGEMENT , SF.AUTHENTICATION , SF.ACCESS
FPT_EMS.1	SF.MANAGEMENT , SF.UNOBSERVABILITY , SF.APP_CRYPTO
FPT_FLS.1	SF.SECURITY_ADMIN , SF.PHYSICAL_TAMPERING , SF.AUDIT
FPT_PHP.1	SF.APP_INTEGRITY , SF.PHYSICAL_TAMPERING , SF.IC_INTEGRITY , SF.SECURITY_ADMIN , SF.AUDIT
FPT_PHP.3	SF.PHYSICAL_TAMPERING , SF.SECURITY_ADMIN , SF.AUDIT
FPT_TST.1	SF.IC_INTEGRITY , SF.APP_INTEGRITY , SF.TEST , SF.CHECK
FTP_ITC.1/SVD	SF.SYM_CRYPTO , SF.ACCESS , SF.APP_CRYPTO , SF.TRUSTED_CHANNEL , SF.MANAGEMENT
FTP_ITC.1/SCD	SF.ACCESS , SF.MANAGEMENT , SF.SYM_CRYPTO , SF.APP_CRYPTO , SF.TRUSTED_CHANNEL
FTP_ITC.1/DTBS	SF.TRUSTED_CHANNEL , SF.APP_CRYPTO , SF.ACCESS , SF.SYM_CRYPTO
FTP_ITC.1/VAD	SF.SYM_CRYPTO , SF.ACCESS , SF.APP_CRYPTO , SF.TRUSTED_CHANNEL

Table 14 SFRs and TSS - Coverage

**Security target LITE ID.me 1.28 on
IDealCitiz™ MOSID v2.1.1**

Ref.: 2016_2000022481

Page: **118/121**

TOE Summary Specification	Security Functional Requirements
SF.IC INTEGRITY	FDP SDI.2/Persistent , FDP SDI.2/DTBS , FPT PHP.1 , FPT TST.1
SF.PHYSICAL TAMPERING	FPT FLS.1 , FPT PHP.1 , FPT PHP.3
SF.SECURITY ADMIN	FPT FLS.1 , FPT PHP.1 , FPT PHP.3
SF.UNOBSERVABILITY	FPT EMS.1
SF.SYM CRYPTO	FCS COP.1 , FIA API.1 , FTP ITC.1/SVD , FDP UIT.1/DTBS , FTP ITC.1/DTBS , FTP ITC.1/VAD , FTP ITC.1/SCD , FDP UCT.1/SCD
SF.ASYM CRYPTO	FCS CKM.1 , FCS COP.1 , FIA API.1
SF.ALEAS	FCS CKM.1 , FCS RND.1
SF.RNG	FCS CKM.1 , FCS RND.1
SF.ACCESS	FDP ACC.1/SCD/SVD Generation , FDP ACF.1/SCD/SVD Generation , FDP ACC.1/SVD Transfer , FDP ACF.1/SVD Transfer , FDP ACC.1/Signature Creation , FDP ACF.1/Signature Creation , FDP RIP.1 , FIA UID.1 , FIA UAU.1 , FMT SMR.1 , FMT SMF.1 , FMT MOF.1 , FMT MSA.1/Admin , FMT MSA.1/Signatory , FMT MSA.2 , FMT MSA.3 , FMT MSA.4 , FMT MTD.1/Admin , FMT MTD.1/Signatory , FTP ITC.1/SVD , FDP UIT.1/DTBS , FTP ITC.1/DTBS , FTP ITC.1/VAD , FDP ACC.1/SCD Import , FDP ACF.1/SCD Import , FTP ITC.1/SCD , FDP UCT.1/SCD , FDP ITC.1/SCD
SF.INIT	FIA UID.1 , FIA UAU.1
SF.MEMORY	FCS CKM.4 , FDP RIP.1
SF.CHECK	FDP SDI.2/Persistent , FDP SDI.2/DTBS , FPT TST.1
SF.TEST	FPT TST.1
SF.AUDIT	FDP SDI.2/Persistent , FDP SDI.2/DTBS , FPT FLS.1 , FPT PHP.1 , FPT PHP.3
SF.GESTION	FDP ACC.1/SCD/SVD Generation , FDP ACF.1/SCD/SVD Generation , FDP ACC.1/SVD Transfer , FDP ACF.1/SVD Transfer , FDP ACC.1/Signature Creation , FDP ACF.1/Signature Creation , FIA UID.1 , FIA UAU.1 , FDP UIT.1/DTBS , FDP ACC.1/SCD Import , FDP ACF.1/SCD Import , FDP UCT.1/SCD
SF.AUTHENTICATION	FCS COP.1 , FDP ACC.1/SCD/SVD Generation , FDP ACF.1/SCD/SVD Generation ,

Security target LITE ID.me 1.28 on IDealCitiz™ MOSID v2.1.1	Ref.: 2016_2000022481 Page: 119/121
--	---

	FDP ACC.1/SVD Transfer , FDP ACF.1/SVD Transfer , FDP ACC.1/Signature Creation , FDP ACF.1/Signature Creation , FIA UID.1 , FIA UAU.1 , FIA AFL.1 , FMT SMR.1 , FMT MTD.1/Admin , FMT MTD.1/Signatory , FDP ACC.1/SCD Import , FDP ACF.1/SCD Import , FDP DAU.2/SVD
SF.APP CRYPTO	FCS CKM.1 , FCS COP.1 , FPT EMS.1 , FIA API.1 , FTP ITC.1/SVD , FDP UIT.1/DTBS , FTP ITC.1/DTBS , FTP ITC.1/VAD , FCS RND.1 , FTP ITC.1/SCD , FDP UCT.1/SCD
SF.APP INTEGRITY	FDP SDI.2/Persistent , FDP SDI.2/DTBS , FPT PHP.1 , FPT TST.1
SF.RATIF	FIA AFL.1
SF.TRUSTED CHANNEL	FCS COP.1 , FIA UAU.1 , FIA API.1 , FTP ITC.1/SVD , FDP UIT.1/DTBS , FTP ITC.1/DTBS , FTP ITC.1/VAD , FTP ITC.1/SCD , FDP UCT.1/SCD , FDP DAU.2/SVD
SF.MANAGEMENT	FCS CKM.1 , FCS CKM.4 , FDP ACC.1/SCD/SVD Generation , FDP ACF.1/SCD/SVD Generation , FDP ACC.1/SVD Transfer , FDP ACF.1/SVD Transfer , FDP ACC.1/Signature Creation , FDP ACF.1/Signature Creation , FDP RIP.1 , FIA UID.1 , FIA UAU.1 , FIA AFL.1 , FMT SMR.1 , FMT SMF.1 , FMT MOF.1 , FMT MSA.1/Admin , FMT MSA.1/Signatory , FMT MSA.2 , FMT MSA.3 , FMT MSA.4 , FMT MTD.1/Admin , FMT MTD.1/Signatory , FPT EMS.1 , FTP ITC.1/SVD , FDP ACC.1/SCD Import , FDP ACF.1/SCD Import , FTP ITC.1/SCD

Table 15 TSS and SFRs - Coverage

Index

A			
A.CGA	53		
A.CSP	53		
A.SCA	53		
D			
D.DTBS/R.....	50		
D.SCD.....	50		
D.SVD.....	50		
F			
FCS_CKM.1	72		
FCS_CKM.4	72		
FCS_COP.1	72		
FCS_RND.1	76		
FDP_ACC.1/SCD/SVD_Generation.....	76		
FDP_ACC.1/SCD_Import	80		
FDP_ACC.1/Signature_Creation	78		
FDP_ACC.1/SVD_Transfer.....	77		
FDP_ACF.1/SCD/SVD_Generation	76		
FDP_ACF.1/SCD_Import.....	80		
FDP_ACF.1/Signature_Creation	78		
FDP_ACF.1/SVD_Transfer	77		
FDP_DAU.2/SVD.....	81		
FDP_ITC.1/SCD	80		
FDP_RIP.1	78		
FDP_SDI.2/DTBS	79		
FDP_SDI.2/Persistent	79		
FDP_UCT.1/SCD	80		
FDP_UIT.1/DTBS	81		
FIA_AFL.1.....	82		
FIA_API.1.....	82		
FIA_UAU.1	82		
FIA_UID.1	81		
FMT_MOF.1.....	83		
FMT_MSA.1/Admin.....	83		
FMT_MSA.1/Signatory	84		
FMT_MSA.2.....	84		
FMT_MSA.3.....	84		
FMT_MSA.4.....	84		
FMT_MTD.1/Admin	85		
FMT_MTD.1/Signatory	85		
FMT_SMF.1	83		
FMT_SMR.1	83		
FPT_EMS.1	85		
FPT_FLS.1	85		
FPT_PHP.1	86		
FPT_PHP.3	86		
FPT_TST.1.....	86		
FTP_ITC.1/DTBS	88		
FTP_ITC.1/SCD	87		
FTP_ITC.1/SVD	87		
FTP_ITC.1/VAD	88		
		O	
		OE.CGA_QCert	57
		OE.CGA_SSCD_Auth.....	58
		OE.CGA_TC_SVD_Imp	59
		OE.Dev_Prov_Service	58
		OE.DTBS_Intend.....	57
		OE.HID_TC_VAD_Exp	59
		OE.SCA_TC_DTBS_Exp.....	59
		OE.SCD/SVD_Auth_Gen.....	58
		OE.SCD_Secrecy.....	58
		OE.SCD_SVD_Corresp.....	58
		OE.SCD_Unique.....	58
		OE.Signatory.....	57
		OE.SVD_Auth	57
		OT.DTBS_Integrity_TOE.....	54
		OT.EMSEC_Design.....	55
		OT.Lifecycle_Security.....	54
		OT.SCD/SVD_Gen.....	55
		OT.SCD_Auth_Imp	55
		OT.SCD_Secrecy.....	54
		OT.SCD_SVD_Corresp.....	55
		OT.SCD_Unique.....	55
		OT.Sig_Secure	54
		OT.Sigy_SigF	54
		OT.Tamper_ID	55
		OT.Tamper_Resistance.....	55
		OT.TOE_SSCD_Auth	56
		OT.TOE_TC_DTBS_Imp.....	56
		OT.TOE_TC_SVD_Exp.....	56
		OT.TOE_TC_VAD_Imp	56
		P	
		P.CSP_QCert	52
		P.QSign.....	52
		P.Sig_Non-Repud	52
		P.Sigy_SSCD	52
		S	
		S.Admin	50
		S.Attacker	50
		S.Signatory.....	51
		S.User.....	50
		SF.ACCESS	104
		SF.ALEAS	103
		SF.APP_CRYPTO.....	107
		SF.APP_INTEGRITY	108
		SF.ASYM_CRYPTO.....	103
		SF.AUDIT.....	105
		SF.AUTHENTICATION.....	105
		SF.CHECK	104
		SF.GESTION.....	105
		SF.IC_INTEGRITY.....	102

SF.INIT 104
 SF.MANAGEMENT 108
 SF.MEMORY 104
 SF.PHYSICAL_TAMPERING 102
 SF.RATIF..... 108
 SF.RNG..... 103
 SF.SECURITY_ADMIN 102
 SF.SYM_CRYPTO..... 103
 SF.TEST 104
 SF.TRUSTED_CHANNEL 108
 SF.UNOBSERVABILITY..... 103

T

T.DTBS_Forgery 51
 T.Hack_Phys..... 51
 T.SCD_Derive 51
 T.SCD_Divulg 51
 T.Sig_Forgery 51
 T.SigF_Misuse 51
 T.SVD_Forgery 51